
## Mendel University in Brno Czech Society of Landscape Engineers – ČSSI, z.s.

## Public recreation and landscape protection – with environment hand in hand?



**Proceedings of the 14th Conference** 

Editor: Jitka Fialová

9th-11th May 2023, Křtiny

#### **MENDEL UNIVERSITY IN BRNO**

Czech Society of Landscape Engineers - ČSSI, z. s.,



Department of Landscape Management Faculty of Forestry and Wood Technology Mendel University in Brno



# Public recreation and landscape protection with environment hand in hand?

Proceedings of the 14th Conference

Editor: associate Professor Ing. Jitka Fialová, MSc., Ph.D.

Under the auspices

of prof. Dr. Ing. Jan Mareš, the Rector of Mendel University in Brno,

of prof. Dr. Ing. Libor Jankovský, the Dean of the Faculty of Forestry and Wood Technology, Mendel University in Brno,

of doc. Ing. Tomáš Vrška, Dr., the Director of Training Forest Enterprise Masaryk Forest Křtiny, Mendel University in Brno,

of Ing. Dalibor Šafařík, Ph.D., the Chief Executive Office, Forests of the Czech Republic,



of JUDr. Markéta Vaňková, the Mayor of the City of Brno,



and of Mgr. Jan Grolich, the Governor of South Moravia,

## south moravian region

in cooperation with Czech Bioclimatological Society, Nature Conservation Agency of the Czech Republic) and Partnerství, o.p.s.,

with the financial support of FS Bohemia Ltd.



The authors are responsible for the content of the article, publication ethics and the citation form.

All the articles were peer-reviewed.

© Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia

ISBN 978-80-7509-905-1 (print)

ISBN 978-80-7509-904-4 (online; pdf)

ISSN 2336-6311 (print)

ISSN 2336-632X (online; pdf)

https://doi.org/10.11118/978-80-7509-904-4

Open Access. This book is licensed under the terms of the Creative Commons Attribution 4.0 International License, CC-BY 4.0 (https://creativecommons.org/licenses/by/4.0/)

### Contents

ENVIRONMENT	SMARTPHONE	USAGE	IN	ACTIVE	RECREATI	ON	AND	NATURAL
Stanislav Azor, Mic	hal Marko, Štefan	Adamčák						9
ASSESSMENT OF OF SERBIA	EXTREME, LONG	G-TERM M	ETEC	ROLOGIC	AL DROUGH	HT IN	WESTE	RN PART
Martina Zeleňáková								
AWARENESS OF S L'ubomír Štrba, Bra Sidor	anislav Kršák, Len	ika Varchol	lová, i	Michaela F	Podoláková, k	Silvia	•	
BANK STABILIZAT								20
Miloslav Slezingr, D								24
BIOCULTURAL DIV Ivo Machar, Helena								27
CARAVANNING AN								31
CAUSES OF OVEF Emil Drápela								35
ECOTOURISM IN Petr Jelinek, Micha								39
ERGONOMIC APP Eva Abramuszkinov								45
EVALUATION OF Daniela Smetanová								50
EXPLORING THE I		_	_	_				57
EXPLORING WHIT Miroslav Čibik, Tím								63
FOREST EDUCAT SOCIETY IN THE ( Kamil Żołądek, Róż	CELESTYNÓW FO	REST DIS	TRICT	-				
GREEN AREAS AN								
OF RESIDENTS  Edyta Rosłon-Szery	yńska							71
HEALTH VALUES Emilia Janeczko, M								79
HISTORICAL EVO		STIVALS	IN G	UIMARAS	ISLAND: I	ITS II	MPLICA	TION TO
Norie H. Palma, Jas		sie H. Gaita	ano, F	Revenlie G.	Galapin, Pet	tr Kup	ec	83

METEOROLOGICAL ACTIVITIES OF J. G. MENDEL AS PART OF THE TOUR OF THE AUGUSTINIAN ABBEY
Jaroslav Rožnovský158
MID-FIELD WOODLOTS AS A SUBSTITUTE FOR FORESTS IN AGRICULTURAL AREAS - THE IMPACT ON ENVIRONMENT AND TOURISM Beata Fortuna-Antoszkiewicz, Jan Łukaszkiewicz, Piotr Wisniewski
MONITORING THE MOVEMENT OF VISITORS IN THE TATRA NATIONAL PARK USING BATTERY-POWERED ONLINE COUNTERS  Ivos Gajdorus
MOUNTAIN RESCUE SERVICE - INEVITABLE HELP AT RECREATIONAL AND SPORT ACTIVITIES IN MOUNTAINOUS AREAS IN SLOVAKIA  Matúš Jakubis, Mariana Jakubisová
NON-WOOD FOREST PRODUCTS: "CULTURE" + "TRADITION" = "EDUCATIONAL POSSIBILITIES". DOES IT MAKE SENSE?  Szczepan Kopeć, Paweł Staniszewski
OLDER ADULTS AS A TARGET GROUP OF USERS OF GREEN AREAS IN PROJECTS OF THE WARSAW CIVIC BUDGET  Kinga Kimic, Paulina Polko
PLANNING THROUGH A GIS THE RECOVERY OF RURAL BUILDINGS FOR THE DEVELOPMENT OF NEW FORMS OF TOURISM HOSPITALITY  Pietro Picuno, Salvatore Margiotta
POSSIBILITIES AND ADVANTAGES OF INDIVIDUAL RECREATION IN THE TOPOLČANY DISTRICT  Regina Mišovičová, Zuzana Pucherová, Henrich Grežo,
POSSIBILITIES OF RECREATION IN HNILEC RIVER BASIN FROM CLIMATOLOGICAL POINT OF VIEW Patrik Nagy, Katarzyna Kubiak-Wójcicka , Miroslav Garaj , Milan Gocic3198
POSSIBILITIES OF USING NEW TECHNOLOGIES IN CULTURAL TOURISM IN THE POST COVID ERA Kristýna Tuzová, Milada Šťastná202
PROBLEMS OF RURAL LANDSCAPE'S PROTECTION VS ANTHROPOPRESSURE AND RECREATION MOVEMENT - THE EXAMPLE OF THE NATURE RESERVE "STAWY RASZYŃSKIE" NEAR WARSAW Jan Łukaszkiewicz, Beata Fortuna-Antoszkiewicz
PUBLIC RECREATION AND TOURISM ARE ASPECTS THAT AFFECT NOT ONLY THE ENVIRONMENT  David Brandejs, Pavel Klika
QUALITATIVE ASSESSMENT OF THE PREPAREDNESS AND POTENTIAL OF NATURE PROTECTED AREAS TO SUPPORT SUSTAINABLE TOURISM Radek Timoftej and Hana Brůhová Foltýnová
RECREATION IN CZECH LARGE PROTECTED AREAS: COUNTED AND SORTED  Tomáš Janík
RECREATION LAND USE IN TERMS OF WATER PROTECTION  Maria Hlinkova, Rastislav Fijko228

RECREATIONAL POTENTIAL OF RADOSINKA MICROREGION: LANDSCAPE – ARCHITECTI PROPOSAL OF THE CYCLO ROUTE Mária Bihuňová, Branislav Králik	
RECREATIONAL USE OF FOREST ROADS IN THE TERRITORY OF NATIONAL PARKS PROTECTED LANDSCAPE AREAS  Roman Bystrický	AND
REFORM OF THE CONSTRUCTION ADMINISTRATION IN RELATION TO THE PERMIT OF BUILDINGS FOR RECREATION  Alena Kliková	
REVITALISATION OF DRAINED FOREST AREA  Jana Marková, Petr Pelikán	249
REVITALIZATION OF THE PARK IN THE CENTER OF IVANKA PRI DUNAJI  Gabriel Kuczman, Denis Bechera	253
RISK ASSSESSMENT ON GEODIVERSITY SITES Lucie Kubalíková, Eva Nováková, František Kuda, Karel Kirchner, Aleš Bajer, Marie Ba	
RIVERS AS BACKBONES FOR URBAN AND PERIURBAN RECREATION – CASE STUDIES F KOŠICE AND PREŠOV, SLOVAKIA Juraj Illes, Katarina Kristianova	
SMALL-SCALE INVASIVE INTERVENTIONS AS IMPULSES FOR THE REACTIVA OF FORGOTTEN URBAN SPACES Miroslav Čibik, Katarína Jankechová	
STUDY OF THE RELATIONSHIP OF MOISTURE AND COMPACTION ON THE MODI OF RESILIENCE OBTAINED BY CYCLIC CBR TESTING IN LOCAL SOILS FOR A QUALITY RI TOURISM Iñigo Garcia, Lenka Ševelová	URAL
THE "KAMIEŃ" EDUCATIONAL PAVILION IN WARSAW AS A PLACE OF PRO-ENVIRONME ACTIVATION OF THE URBAN COMMUNITY  Kinga Kimic , Magdalena Wolska	
THE ASSESSMENT OF ECOSYSTEM SERVICES IN TRNAVA (SLOVAKIA) AND SURROUN REGION Radovan Pondelík, Martin Zápotocký	
THE CONCEPT OF SENSE OF PLACE IN ENVIRONMENTAL EDUCATION  Dominik Rubáš, Tomáš Matějček, Tomáš Bendl	286
THE EFFECT OF GRASS STRIPS ON SOIL RETENTION AND EROSION REDUCIN AGRICULTURAL LANDSCAPE  Petr Karásek, Josef Kučera, Michal Pochop	
THE FIRST OFFICIAL FOREST MIND TRAIL IN THE CZECH REPUBLIC – KŘTINY ARBORETI Jitka Fialová, Martina Holcová	
THE HIPOROUTES IMPLEMENTATION OPTIONS FROM ALTERNATIVE MATERIALS  Václav Mráz, Jiří Ježek , Karel Zlatuška , Vlastimil Nevrkla	302
THE IMPACT OF THE CREATION OF A RECREATIONAL AREA BY RECLAMATION A SURFACE MINE ON PROPERTY VOLUE  Vítězslava Hlavinková, Martina Vařechová	

THE IMPLEMENTATION OF GIS TOOLS FOR PLANNING THE DEVELOPMENT OF RURAL TOURISM ALONG THE NETWORK OF OLD SHEEP-TRACKS  Giuseppe Cillis, Dina Statuto, Pietro Picuno
THE IMPORTANCE AND FUNCTIONS OF RIPARIAN STANDS OF THE RECREATIONAL WATER RESERVOIR POČÚVADLO IN ŠTIAVNICKÉ VRCHY  Mariana Jakubisová , Matúš Jakubis
THE ISSUE OF GEO-EDUCATION ON NATURE TRAILS IN THE FIRST SLOVAK GEOPARK BANSKÁ ŠTIAVNICA Silvia Palgutová, Michaela Podoláková, Lenka Varcholová, Branislav Kršák, Ľubomír Štrba 321
THE ROAD FROM THE CITY TO THE FOREST. OR HOW FAR IS THE URBAN MAN FROM A FUNCTIONAL FOREST?  Vilém Pechanec, Helena Kilianová, Ivo Machar
THE ROLE OF LAND CONSOLIDATION IN RURAL SPACE DEVELOPMENT  Jana Konečná, Michal Pochop, Jana Podhrázská, Petr Karásek, Eva Nováková
THE ROLE OF WETLANDS IN FLOOD PROTECTION PROCESSES IN THE LANDSCAPE – CASE STUDY  Marián Dobranský, Peter Bujanský, Gao Zhenjun
THE UNFINISHED HITLER'S MOTORWAY – A HERITAGE IN THE CONTEMPORARY LANDSCAPE Ivo Dostál, Marek Havlíček, Hana Skokanová
TRADITIONAL COPPICE MANAGEMENTS AT THE LANDSCAPE LEVEL TOGETHER WITH RECREATIONAL USE Barbora Uherková, Jan Kadavý , Zdeněk Adamec, Michal Friedl, Aleš Kučera, Robert Knott, Michal Kneifl, Jakub Drimaj
TRANSFORMATION OF GARDEN SETTLEMENTS INTO A RESIDENTIAL ZONE Sofie Pokorná, Vítězslava Hlavinková
UNDERGROUND SPACES IN BOSONOŽSKÝ HÁJEK NATURE RESERVE AND THEIR GEOEDUCATION IMPORTANCE Karel Kirchner, František Kuda, Vít Baldík, Lucie Kubalíková
URBAN AGRICULTURE – ECOSYSTEM AND CULTURAL FUNCTIONS OF ORCHARD VEGETATION  Jan Winkler, Petra Martínez Barroso, Doubravka Kuříková, Helena Pluháčková, Aleksandra Nowysz
VALORIZATION OF AN OLD SHEEP TRAIL AS A NEW OPPORTUNITY FOR SUSTAINABLE PUBLIC RECREATION: A CASE STUDY IN SOUTHERN ITALY Dina Statuto, Giuseppe Cillis, Pietro Picuno
WHERE NATURE MEETS ADVENTURE: TOURIST ACTIVITIES AT DOBROGEI GORGE NATURE RESERVE, ROMANIA  Teodorescu Camelia, Szemkovics Laurentiu-Stefan, Dumitrascu Alina Viorica
WHERE THE SQUARE MEETS THE STREAM: RE-DESIGNING THE RURAL SQUARE IN VEĽKÝ KÝR, SLOVAKIA  Attila Tóth
WHICH INFLUENCE HAS DEFORESTATION ON TOURISTIC RECREATIONAL AREAS IN SUCEAVA COUNTY?  Ana-Maria Ciobotaru

WILL THE REMOVAL OF THE RECREATIONAL SYMBOL OF JESENIKY MOUNTA	IN SUMMIT
PARTS, THE DWARF PINE FORESTS, AFFECT THE ECOSYSTEM FUNCTIONS OF TH	
Petr Kupec, Petr Čech, Jan Deutscher	382
WINDBREAKS AS AN IMPORTANT ECO-STABILISING AND SOIL-PROTECTIVE	<b>ELEMENTS</b>
IN THE LANDSCAPE OF SOUTH MORAVIA	
Josef Kučera, Jana Podhrázská, Michal Pochop, Petr Karásek	387

#### REVITALISATION OF DRAINED FOREST AREA

#### Jana Marková, Petr Pelikán

Department of Landscape Management, Faculty of Forestry and Wood Technology, Mendel University in Brno, Zemědělská 3, 613 00 Brno, Czechia

#### https://doi.org/10.11118/978-80-7509-904-4-0249

#### **Abstract**

The article deals with a possible way of revitalisation of the drainage system established in the past in the locality "Křížovna" in the cadastral area of Čejkov in the Vysočina region. The area is located at an altitude of 649 - 657 m above sea level, the affected area is 1.33 ha and has the character of a spring area. Currently, there is a mixed forest with a predominance of conifers of approximately 50 - 100 years of age. In the past, the site was drained by a system of ditches which were connected to a sunken unnamed stream. In the context of ongoing climate change, the drainage system has lost its purpose. It is desirable to retain water rather than to facilitate its accelerated runoff. Revitalisation measures of a purely natural manners have been implemented using local materials. Simple types of measures have been used to create, among other things, pools, loosened flow paths, cross dams, etc. The text describes the individual types of solutions. In the design process, the individual measures were sensitively chosen so as to minimise interference with mature vegetation. The technical element was the implementation of a ford on the existing logging road and the reconstruction of a culvert under the forest road. The revitalisation measures aim to initiate naturalisation processes both in the stream bed and in the ditches.

Key words: Drainage, ditch, pool, ford

#### Introduction

The drive for intensive farming has not escaped forest complexes in the past. In order to be able to plant economic forest in the form of a predominantly spruce monoculture, some areas had to be intensively drained. In the area in question, a network of drainage ditches was built, connected to a nameless stream whose bed was straightened and deepened. The single network was easy to maintain (cleaning the channel of sediment), drained rainwater more quickly and lowered the water table.

In the context of the climate change we are facing today, the emphasis is on retaining water in the landscape and slowing down the flow of rainwater. The revitalisation of sites where drainage on forest land has been carried out in the past is therefore very topical.

#### Materials and methods

The area is located in the district of Pelhřimov, west of the village of Čejkov, in an undeveloped area at an altitude of 649 - 657 m above sea level (Křížovka forest complex, GPS localization: 49.376 N,15.310 E). The area affected by the project (1.33 ha) has the character of a spring area in which a network of sunken, straight drainage ditches has been built in the forest complex. An unnamed left sided tributary of the Nemojovský stream flows through the area and is the subject of revitalisation measures together with the drainage network. The stream itself is straightened and deepened. At present, there is a mixed forest with a predominance of conifers of approximately 50 to 100 years of age (*Picea abies, Abies alba, Fagus sylvatica, Alnus glutinosa, Betula alba*). The stand is accessible via the forest transport network - forest road 2L Do Křížovky, logging roads and extraction racks. On the transport network there are necessary elements of transverse drainage - concrete and steel pipe culverts without headwalls.

#### Hydrology

The territory is located in the Vltava river basin, sub-basin of the IV. category of the ČHP 1-09-02-011. The watercourse affected by the project is an unnamed watercourse (IDVT 10256758), LP Nemojovský stream. The revitalisation measures are situated in the source area (approx. river km 1.375-1.740 according to the existing stationing), where the construction works were realized in the forest complex in the past – excavation of a network of sunken, straight drainage ditches. The site suffers from accelerated surface runoff from the source area. At stationing r.km 1.475, the unnamed stream is crossed by a forest road and a non-capacitated pipe culvert in poor technical condition, carried through the earthen road body. The administrator of the affected section of the watercourse is the Lesy ČR s.p. organization.

#### Results

The purpose of the proposed measures is to modify the water regime of the site in the form of simple terrain modifications with the aim of slowing down the surface water runoff through the existing network of sunken drainage ditches with accompanying effects (increasing the retention capacity and ecological stability of the landscape, restoring the diversity of biotopes and increasing the biodiversity of the site).

On the unnamed stream in the stationing km 1.375 - 1.740, controlled renaturation will take place in the approximate length of 450 m (Fig. 1) - adjustment of the parameters of the sunken channel, restoration and creation of nature-like shapes and natural functions.




Fig. 1: The part of the project situation plan: A - revitalisation of drainage ditches; B - stream original alignment support; C - rockfill ford

The aim of the proposed routing solution is to return the channel to its original alignment, which is still visible in the terrain. The proposed alignment is characterised by its irregularity, with alternating counter-curves of small radii that follow the original trace and local depressions. The existing bed of the stream channel will be raised by sloping the steep side slopes to create a shallow natural channel with irregularly alternating slopes with maximum slopes of 1:3 - 1:5 or less. Grading and earthworks will not be carried out along the entire length, but only in sections, locally.

In the sections following the original alignment, i.e. outside the current channel, these shallow depressions of variable widths of 0.5 - 1.5 m will only be stripped of organic matter with a thickness of 0.10 - 0.15 m. Due to the nature of the expected revitalisation effects, manual execution is recommended in these sections (Fig. 2).

At the point where the proposed alignment diverges from the existing deepened channel, a dike will be created or filled with surplus soil in a length of at least 5 m, in order to prevent preferential flow of water through the deepened channel and, on the contrary, to direct the flow into the original shallow channel.

By modifying the directional design, the resulting route will be lengthened and the longitudinal slope of the bottom will be reduced, which has a positive effect on the water regime of the site - slowing down the runoff and increasing the retention capacity of the area, restoring natural hydrological processes.

Revitalisation measures on the network of drainage ditches in the scope of the construction include their local widening and raising of the bottom - partial or full backfilling with soil together with the insertion of stumps into the existing channel. Excess soil will be deposited, resulting from the modification of the transverse profile of the ditches (reducing the slope of the steep side slopes), or by excavating pools in local depressions. In total, approximately 200 m of the drainage ditches will be rehabilitated, which will have the character of shallow depressions or their flow profile will be filled in completely.

At the crossing point of the watercourse with the forest road 2L Do Křížovky (stationing km 1.475), the road will be excavated there and the existing concrete pipe culvert will be reconstructed, since the

technical condition and parameters do not comply with ČSN 73 6108 Forest road network. A pipe culvert will be built with a flow capacity of  $Q_{20}$  according to the applicable related regulations (dimensioned according to hydrological data of the Czech Hydrological Institute).

At the river km 1.550, the non-functional concrete pipe culvert on the existing logging road will be removed. A ford was proposed at the stream crossing, constructed as a rockfill with erosion resistant aprons (rockfill).




Fig. 2: The sample cross-section of selected revitalisation measures – the technical solution

#### **Discussion**

It is still very important to remind the public, both professional and non-professional, the important role ameliorations play in our now predominantly cultural landscape. Even today, there are places where we cannot operate economic activities without these measures. Ameliorations include drainage, irrigation, erosion control measures, damming of torrents and gullies, etc.

However, there are places where these structures have lost their significance and, in the light of today's climate changes, their function. Today's landscape management is no longer focused on 'yield' alone, but seeks to preserve the natural functions of the landscape as part of sustainable management development. Thus, even on some forest land, the revitalisation of amelioration systems is realized.

Even today, in a number of places, it is appropriate to make use of amelioration measures. But it doesn't always have to be technical solutions like in the past. Forestry ameliorations are intended to improve habitat conditions, particularly by applying the reclamation function of suitable forest trees and stands. This includes all types of protective afforestation, the establishment of buffer strips and the greening of buildings and settlements. Forest ameliorations also include the adjustment of the water and air regime on temporarily and especially permanently waterlogged forest soils. Drainage is an organic part of purpose-built forestry structures and the forest transport network.

#### Conclusion

The purpose of the proposed measures is to modify the water regime of the site in the form of simple terrain modifications with the aim of slowing down the surface water runoff through the existing network of sunken drainage ditches with accompanying effects (increasing the retention capacity and ecological stability of the landscape, restoring the diversity of biotopes and increasing the biodiversity of the site). In the stream channel, the parameters of the deepened and straightened channel will be adjusted in the approximate length of 450 m, restoring and creating nature-like shapes and natural functions. The aim of the proposed routing solution is to return the channel to its original alignment, which is still visible in the terrain.

The revitalisation measures on the network of drainage ditches in the scope of the construction consist of their local widening and raising of the bottom - partial to full backfilling with soil together with the insertion of stumps into the existing channel. Redundant soil from the modification of the transverse

profile of the ditches (reducing the slope of the steep side slopes) or by excavating pools in local depressions will be deposited in the deepened network of ditches. In total, approximately 200 m of the drainage ditches will be rehabilitated, which will have the character of shallow depressions or their flow profile will be filled in completely. Grading and earthworks will not be carried out along the entire length, but only in sections, locally.

#### References

Culek, M., et al. (2005). Biogeographic zonation of the Czech Republic, Part II. Edition 1. Prague: AOPK ČR, 2005. 590 p., 1 CD. ISBN 80-86064-82-4.

Pelikán, P., Marková, J. (2022). Revitalisation of the water regime of forest soils – Křížovna. Project documentation for a building permit, 2022.

Quitt, E. (1971). Climatic regions of Czechoslovakia. Prague, Academia, 1971. Studia geographica, 16

Act No. 183/2006 Coll., on spatial planning and building code (Building Act)

Act No. 254/2001 Coll., on water and on amendments to certain acts (Water Act)

Act No. 541/2020 Coll., on waste

Decree No. 146/2008 Coll., on the scope and content of project documentation for transport structures Decree No. 239/2017 Coll., on technical requirements for constructions for the performance of forest functions

Decree No. 499/2006 Coll., on construction documentation

ČSN 73 6108 Forest road network

https://www.mezistromy.cz/slovnik/meliorace

#### Souhrn

Řešená lokalita nedaleko obce Čejkov v okrese Pehřimov, má charakter pramenné oblasti, ve které byla v lesním komplexu zbudována síť zahloubených, napřímených odvodňovacích příkopů. Územím protéká bezejmenný levostranný přítok Nemojovského potoka, který je spolu s meliorační sítí předmětem revitalizačních opatření.

Účelem navržených opatření je úprava vodního režimu lokality formou jednoduchých terénních úprav s cílem zpomalení povrchového odtoku vody stávající sítí zahloubených odvodňovacích příkopů s doprovodnými efekty (zvýšení retenční schopnosti a ekologické stability krajiny, obnova rozmanitosti biotopů a zvýšení biodiverzity lokality). Na bezejmenném toku proběhne v přibližné délce 450 m úprava parametrů zahloubeného koryta, obnova a tvorba přírodě blízkých tvarů a přirozených funkcí. Cílem navrženého směrového řešení je návrat koryta do své původní trati, která je v terénu stále patrná.

Revitalizační opatření na síti melioračních příkopů v rozsahu stavby představuje jejich lokální rozšíření a zvýšení dna – částečný až úplný zásyp zeminou spolu s vložením pařezů do stávajícího koryta. Uložena bude přebytečná zemina, vzniklá úpravou příčného profilu příkopů (zmírnění sklonu bočních svahů), případně hloubením tůní v lokálních depresích. Celkově bude sanováno cca 200 m melioračních příkopů, které budou mít charakter mělkých průlehů, případně bude jejich průtočný profil vyplněn zcela. Terénní úpravy a zemní práce nebudou prováděny v celé délce, ale pouze úsekově, lokálně.

V kontextu klimatických změn, kterým jsme dnes vystaveni, je kladen důraz na zadržování vody v krajině a zpomalení odtoku srážkových vod. Revitalizace lokalit, kde bylo v minulosti provedeno odvodnění na lesních půdách je tedy velmi aktuální.

#### Contact:

Ing. Jana Marková, Ph.D.

E-mail: jana.markova@mendelu.cz

Open Access. This article is licensed under the terms of the Creative Commons Attribution 4.0 International License, CC-BY 4.0 (https://creativecommons.org/licenses/by/4.0/)



Title: Public recreation and landscape protection – with environment hand in hand?

Proceedings of the 14th Conference

Editor of the proceeding: associate Professor Ing. Jitka Fialová, MSc., Ph.D. Publisher: Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia Print: Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia

Edition: 1st Edition, 2023

No. of pages: 392 No. of copies: 75

ISBN 978-80-7509-905-1 (print)

ISBN 978-80-7509-904-4 (online; pdf)

ISSN 2336-6311 (print)

ISSN 2336-632X (online; pdf)

https://doi.org/10.11118/978-80-7509-904-4