Mendel University in Brno Czech Society of Landscape Engineers – ČSSI, z.s.

Public recreation and landscape protection – with environment hand in hand?



Proceedings of the 14th Conference

Editor: Jitka Fialová

9th-11th May 2023, Křtiny

MENDEL UNIVERSITY IN BRNO

Czech Society of Landscape Engineers - ČSSI, z. s.,



Department of Landscape Management Faculty of Forestry and Wood Technology Mendel University in Brno



Public recreation and landscape protection with environment hand in hand?

Proceedings of the 14th Conference

Editor: associate Professor Ing. Jitka Fialová, MSc., Ph.D.

Under the auspices

of prof. Dr. Ing. Jan Mareš, the Rector of Mendel University in Brno,

of prof. Dr. Ing. Libor Jankovský, the Dean of the Faculty of Forestry and Wood Technology, Mendel University in Brno,

of doc. Ing. Tomáš Vrška, Dr., the Director of Training Forest Enterprise Masaryk Forest Křtiny, Mendel University in Brno,

of Ing. Dalibor Šafařík, Ph.D., the Chief Executive Office, Forests of the Czech Republic,



of JUDr. Markéta Vaňková, the Mayor of the City of Brno,



and of Mgr. Jan Grolich, the Governor of South Moravia,

south moravian region

in cooperation with Czech Bioclimatological Society, Nature Conservation Agency of the Czech Republic) and Partnerství, o.p.s.,

with the financial support of FS Bohemia Ltd.



The authors are responsible for the content of the article, publication ethics and the citation form.

All the articles were peer-reviewed.

© Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia

ISBN 978-80-7509-905-1 (print)

ISBN 978-80-7509-904-4 (online; pdf)

ISSN 2336-6311 (print)

ISSN 2336-632X (online; pdf)

https://doi.org/10.11118/978-80-7509-904-4

Open Access. This book is licensed under the terms of the Creative Commons Attribution 4.0 International License, CC-BY 4.0 (https://creativecommons.org/licenses/by/4.0/)



Contents

| ENVIRONMENT | SMARTPHONE | USAGE | IN | ACTIVE | RECREATI | ON | AND | NATURAL |
|--|--------------------|--------------|---------|------------|-------------------|--------|----------------|----------|
| Stanislav Azor, Mich | al Marko, Štefan i | Adamčák | | | | | | 9 |
| ASSESSMENT OF OF SERBIA | EXTREME, LONG | G-TERM M | ETEC | ROLOGIC | AL DROUG | HT IN | WESTE | ERN PART |
| Martina Zeleňáková, | | | | | | | | |
| AWARENESS OF S L'ubomír Štrba, Bra | nislav Kršák, Len | ka Varchol | lová, i | Michaela F | Podoláková, | Silvia | • | |
| Sidor BANK STABILIZATI | | | | | | | | 20 |
| Miloslav Slezingr, Da | | | | | | | | 24 |
| BIOCULTURAL DIV Ivo Machar, Helena | | | | | | | | 27 |
| CARAVANNING AN Antonín Tůma | | | | | | | | 31 |
| CAUSES OF OVER Emil Drápela | | | | | | | | 35 |
| ECOTOURISM IN A Petr Jelínek, Michal | | | | | | | | 39 |
| ERGONOMIC APPF Eva Abramuszkinov | | | | | | | | 45 |
| EVALUATION OF T Daniela Smetanová | | | | | | | | 50 |
| EXPLORING THE R Tímea Žolobaničová | | - | _ | | | | | 57 |
| EXPLORING WHITE Miroslav Čibik, Tíme | | | | | | | | 63 |
| FOREST EDUCATION SOCIETY IN THE Control of the Kamil Zołądek, Róża | ELESTYNÓW FO | REST DIS | TRICT | | | | | |
| GREEN AREAS AN OF RESIDENTS | | | | | | | | |
| Edyta Rosłon-Szery | ńska | | | | | | | 71 |
| HEALTH VALUES C Emilia Janeczko, Ma | | | | | | | | 79 |
| HISTORICAL EVO TOURISM INDUSTR | RY GROWTH | | | | | | | |
| Norie H. Palma, Jas | mın I. Gadian, Jo | sie n. Galta | ario, F | evenne G. | <i>ыааріп, Ре</i> | и кир | c c | ರ3 |

| METEOROLOGICAL ACTIVITIES OF J. G. MENDEL AS PART OF THE TOUR OF THE AUGUSTINIAN ABBEY Jaroslav Rožnovský158 |
|--|
| MID-FIELD WOODLOTS AS A SUBSTITUTE FOR FORESTS IN AGRICULTURAL AREAS - THE IMPACT ON ENVIRONMENT AND TOURISM Beata Fortuna-Antoszkiewicz, Jan Łukaszkiewicz, Piotr Wisniewski |
| MONITORING THE MOVEMENT OF VISITORS IN THE TATRA NATIONAL PARK USING BATTERY-POWERED ONLINE COUNTERS Ivos Gajdorus |
| MOUNTAIN RESCUE SERVICE - INEVITABLE HELP AT RECREATIONAL AND SPORT ACTIVITIES IN MOUNTAINOUS AREAS IN SLOVAKIA Matúš Jakubis, Mariana Jakubisová174 |
| NON-WOOD FOREST PRODUCTS: "CULTURE" + "TRADITION" = "EDUCATIONAL POSSIBILITIES". DOES IT MAKE SENSE? Szczepan Kopeć, Paweł Staniszewski |
| OLDER ADULTS AS A TARGET GROUP OF USERS OF GREEN AREAS IN PROJECTS OF THE WARSAW CIVIC BUDGET Kinga Kimic, Paulina Polko |
| PLANNING THROUGH A GIS THE RECOVERY OF RURAL BUILDINGS FOR THE DEVELOPMENT OF NEW FORMS OF TOURISM HOSPITALITY Pietro Picuno, Salvatore Margiotta |
| POSSIBILITIES AND ADVANTAGES OF INDIVIDUAL RECREATION IN THE TOPOL'ČANY DISTRICT Regina Mišovičová, Zuzana Pucherová, Henrich Grežo, |
| POSSIBILITIES OF RECREATION IN HNILEC RIVER BASIN FROM CLIMATOLOGICAL POINT OF VIEW Patrik Nagy, Katarzyna Kubiak-Wójcicka , Miroslav Garaj , Milan Gocic3198 |
| POSSIBILITIES OF USING NEW TECHNOLOGIES IN CULTURAL TOURISM IN THE POST COVID ERA Kristýna Tuzová, Milada Šťastná202 |
| PROBLEMS OF RURAL LANDSCAPE'S PROTECTION VS ANTHROPOPRESSURE AND RECREATION MOVEMENT - THE EXAMPLE OF THE NATURE RESERVE "STAWY RASZYŃSKIE" NEAR WARSAW Jan Łukaszkiewicz, Beata Fortuna-Antoszkiewicz |
| PUBLIC RECREATION AND TOURISM ARE ASPECTS THAT AFFECT NOT ONLY THE ENVIRONMENT David Brandejs, Pavel Klika212 |
| QUALITATIVE ASSESSMENT OF THE PREPAREDNESS AND POTENTIAL OF NATURE PROTECTED AREAS TO SUPPORT SUSTAINABLE TOURISM Radek Timoftej and Hana Brůhová Foltýnová217 |
| RECREATION IN CZECH LARGE PROTECTED AREAS: COUNTED AND SORTED Tomáš Janík |
| RECREATION LAND USE IN TERMS OF WATER PROTECTION Maria Hlinkova, Rastislav Fijko |

| RECREATIONAL POTENTIAL OF RADOSINKA MICROREGION: LANDSCAPE – ARCHITECTU PROPOSAL OF THE CYCLO ROUTE | |
|---|------|
| Mária Bihuňová, Branislav Králik | 232 |
| RECREATIONAL USE OF FOREST ROADS IN THE TERRITORY OF NATIONAL PARKS PROTECTED LANDSCAPE AREAS Roman Bystrický | |
| REFORM OF THE CONSTRUCTION ADMINISTRATION IN RELATION TO THE PERMIT OF BUILDINGS FOR RECREATION Alena Kliková | |
| REVITALISATION OF DRAINED FOREST AREA Jana Marková, Petr Pelikán | 249 |
| REVITALIZATION OF THE PARK IN THE CENTER OF IVANKA PRI DUNAJI Gabriel Kuczman, Denis Bechera | 253 |
| RISK ASSSESSMENT ON GEODIVERSITY SITES Lucie Kubalíková, Eva Nováková, František Kuda, Karel Kirchner, Aleš Bajer, Marie Ba | |
| RIVERS AS BACKBONES FOR URBAN AND PERIURBAN RECREATION – CASE STUDIES F KOŠICE AND PREŠOV, SLOVAKIA Juraj Illes, Katarina Kristianova | - |
| SMALL-SCALE INVASIVE INTERVENTIONS AS IMPULSES FOR THE REACTIVA OF FORGOTTEN URBAN SPACES Miroslav Čibik, Katarína Jankechová | |
| STUDY OF THE RELATIONSHIP OF MOISTURE AND COMPACTION ON THE MODU OF RESILIENCE OBTAINED BY CYCLIC CBR TESTING IN LOCAL SOILS FOR A QUALITY RU TOURISM Iñigo Garcia, Lenka Ševelová | JRAL |
| THE "KAMIEŃ" EDUCATIONAL PAVILION IN WARSAW AS A PLACE OF PRO-ENVIRONMEI ACTIVATION OF THE URBAN COMMUNITY Kinga Kimic , Magdalena Wolska | |
| THE ASSESSMENT OF ECOSYSTEM SERVICES IN TRNAVA (SLOVAKIA) AND SURROUNI REGION Radovan Pondelík, Martin Zápotocký | |
| THE CONCEPT OF SENSE OF PLACE IN ENVIRONMENTAL EDUCATION Dominik Rubáš, Tomáš Matějček, Tomáš Bendl | 286 |
| THE EFFECT OF GRASS STRIPS ON SOIL RETENTION AND EROSION REDUC IN AGRICULTURAL LANDSCAPE Petr Karásek, Josef Kučera, Michal Pochop | |
| THE FIRST OFFICIAL FOREST MIND TRAIL IN THE CZECH REPUBLIC – KŘTINY ARBORETU Jitka Fialová, Martina Holcová | |
| THE HIPOROUTES IMPLEMENTATION OPTIONS FROM ALTERNATIVE MATERIALS Václav Mráz, Jiří Ježek , Karel Zlatuška , Vlastimil Nevrkla | 302 |
| THE IMPACT OF THE CREATION OF A RECREATIONAL AREA BY RECLAMATION A SURFACE MINE ON PROPERTY VOLUE Vítězslava Hlavinková, Martina Vařechová | |

| THE IMPLEMENTATION OF GIS TOOLS FOR PLANNING THE DEVELOPMENT OF RURAL TOURISM ALONG THE NETWORK OF OLD SHEEP-TRACKS Giuseppe Cillis, Dina Statuto, Pietro Picuno |
|---|
| THE IMPORTANCE AND FUNCTIONS OF RIPARIAN STANDS OF THE RECREATIONAL WATER RESERVOIR POČÚVADLO IN ŠTIAVNICKÉ VRCHY Mariana Jakubisová , Matúš Jakubis |
| THE ISSUE OF GEO-EDUCATION ON NATURE TRAILS IN THE FIRST SLOVAK GEOPARK BANSKÁ ŠTIAVNICA Silvia Palgutová, Michaela Podoláková, Lenka Varcholová, Branislav Kršák, Ľubomír Štrba 321 |
| THE ROAD FROM THE CITY TO THE FOREST. OR HOW FAR IS THE URBAN MAN FROM A FUNCTIONAL FOREST? Vilém Pechanec, Helena Kilianová, Ivo Machar |
| THE ROLE OF LAND CONSOLIDATION IN RURAL SPACE DEVELOPMENT Jana Konečná, Michal Pochop, Jana Podhrázská, Petr Karásek, Eva Nováková |
| THE ROLE OF WETLANDS IN FLOOD PROTECTION PROCESSES IN THE LANDSCAPE – CASE STUDY Marián Dobranský, Peter Bujanský, Gao Zhenjun |
| THE UNFINISHED HITLER'S MOTORWAY – A HERITAGE IN THE CONTEMPORARY LANDSCAPE Ivo Dostál, Marek Havlíček, Hana Skokanová |
| TRADITIONAL COPPICE MANAGEMENTS AT THE LANDSCAPE LEVEL TOGETHER WITH RECREATIONAL USE Barbora Uherková, Jan Kadavý , Zdeněk Adamec, Michal Friedl, Aleš Kučera, Robert Knott, Michal Kneifl, Jakub Drimaj |
| TRANSFORMATION OF GARDEN SETTLEMENTS INTO A RESIDENTIAL ZONE Sofie Pokorná, Vítězslava Hlavinková |
| UNDERGROUND SPACES IN BOSONOŽSKÝ HÁJEK NATURE RESERVE AND THEIR GEOEDUCATION IMPORTANCE Karel Kirchner, František Kuda, Vít Baldík, Lucie Kubalíková |
| URBAN AGRICULTURE – ECOSYSTEM AND CULTURAL FUNCTIONS OF ORCHARD VEGETATION Jan Winkler, Petra Martínez Barroso, Doubravka Kuříková, Helena Pluháčková, Aleksandra Nowysz |
| VALORIZATION OF AN OLD SHEEP TRAIL AS A NEW OPPORTUNITY FOR SUSTAINABLE PUBLIC RECREATION: A CASE STUDY IN SOUTHERN ITALY Dina Statuto, Giuseppe Cillis, Pietro Picuno |
| WHERE NATURE MEETS ADVENTURE: TOURIST ACTIVITIES AT DOBROGEI GORGE NATURE RESERVE, ROMANIA Teodorescu Camelia, Szemkovics Laurentiu-Stefan, Dumitrascu Alina Viorica |
| WHERE THE SQUARE MEETS THE STREAM: RE-DESIGNING THE RURAL SQUARE IN VEĽKÝ KÝR, SLOVAKIA Attila Tóth |
| WHICH INFLUENCE HAS DEFORESTATION ON TOURISTIC RECREATIONAL AREAS IN SUCEAVA COUNTY? Ana-Maria Ciobotaru |

| WILL THE REMOVAL OF THE RECREATIONAL SYMBOL OF JESENIKY MOUNTA | IN SUMMIT |
|---|-----------------|
| PARTS, THE DWARF PINE FORESTS, AFFECT THE ECOSYSTEM FUNCTIONS OF TH | |
| Petr Kupec, Petr Čech, Jan Deutscher | 382 |
| | |
| WINDBREAKS AS AN IMPORTANT ECO-STABILISING AND SOIL-PROTECTIVE | ELEMENTS |
| IN THE LANDSCAPE OF SOUTH MORAVIA | |
| Josef Kučera, Jana Podhrázská, Michal Pochop, Petr Karásek | 387 |

STUDY OF THE RELATIONSHIP OF MOISTURE AND COMPACTION ON THE MODULUS OF RESILIENCE OBTAINED BY CYCLIC CBR TESTING IN LOCAL SOILS FOR A QUALITY RURAL TOURISM

Iñigo Garcia¹, Lenka Ševelová²

¹Faculty of Forestry and Wood Technology, Mondragon University, Loramendi Kalea, 4, 20500 Arrasate, Gipuzkoa, España

²Faculty of Forestry and Wood Technology, Mendel University in Brno, Zemědělská 3, 613 00 Brno, Czechia

https://doi.org/10.11118/978-80-7509-904-4-0273

Abstract

Low Volume Roads are a key part of both rural and urban life and an accurate study of the parameters involved in their design is fundamental at an environmental level. In nature, due to the passing of the seasons, with changes in humidity and temperature, the density and compaction of the soil changes notably, giving rise to cracks and defects that directly affect their users and entail both economic and environmental costs in terms of vehicle efficiency and repair costs. Furthermore, this type of defect hinders the practice of outdoor activities and sports, which are essential for the development of rural tourism. For this reason, in this study, the Resilience Modulus of a nearby material has been analysed by cyclic California Bearing Ratio tests, thanks to Mendelu's specialised software, under different compaction and humidity conditions.

Key words: Humidity, Density, Soil, Recreation, Low Volume Roads

Introduction

The recreational use of the natural environment in the Czech Republic is a fundamental part of life in the Czech Republic for its inhabitants and many tourists. Furthermore, they are an integral part of the constructive elements - constructions - works - that complete the landscape, connecting and facilitating movement for both economic and recreational activities. Construction for these purposes must meet the criteria, not only in terms of carrying capacity, but also minimise impacts on the surrounding ecosystems. Therefore, proper preservation of rural roads is fundamental and one of its key points is the precise design of rural roads (CSN 73 6108, 2016), known in the world as Low Volume Roads (LVR) already defined by the American Association of State Highway and Transportation Officials (AASHTO, 2011).

These roads have a low traffic flow of less than 400 vehicles on average per day. These types of roads make up long networks of rural roads linking small towns and villages and providing access to various routes in natural environments. Moreover, in larger cities, although they are not so frequent, they can be seen in parks or accesses to peripheral areas. In summary, it can be said that LVR are a key part of many people's lives, both for freight transport and for purely leisure and rural tourism.

In order to design them and simulate their behaviour during deformation, the most significant parameter is the Resilient Modulus (M_r), which is fundamental to be able to define whether the material will be able to support the necessary load under the conditions of each zone and the deformations that are within the permitted limits. M_r is a fundamental material property used to characterize unbound pavement materials. It is a measure of material stiffness and provides a mean to analyse stiffness of materials under different conditions, such as moisture, density and stress level. In order to obtain M_r and to determine the elastic behaviour, it is proposed to perform them in a cyclic manner by simulating repeated traffic loading. This parameter is usually obtained by Cyclic Load Triaxial Tests (ČSN EN 13286-7, 2004). However, these tests are generally very time-consuming and expensive and not all countries can afford them. For this reason, the validity of cyclic tests on California Bearing Ratio (CBR) device, which are much cheaper and would allow an optimal design at a very low laboratory cost, began to be studied.

In addition, the materials used must be taken into account; economical design does not have to come before sustainable design, especially when it comes to infrastructure in a natural environment. Therefore, the aim is to use local materials as much as possible in order to preserve the landscapes that form the rural environment. The consequences of poor design affect society in many ways.

First, a damaged road increases both fuel and repair costs for the vehicles that travel on it, increasing the carbon footprint generated. On the other hand, poor roads and paths can easily hinder the practice of many outdoor sports and transit for people with reduced mobility. These kinds of things are key to

generate good quality and attractive "adventure" tourism. Finally, as previously discussed, a poor choice of material can damage and even destroy local ecosystems (Arias, 2020).

Thus, the University of Mendel, in collaboration with the geotechnical laboratory Geostar, has developed its specialised software (SW) on CBR cyclic test to obtain the Resilience Modulus M_r (PUV 304642, 2014). This software can carry out two types of tests. The first one penetrates the sample until one constant depth, generating high stress levels. For the second test a maximum constant stress value is set in order to simulate the weight of the vehicles. Both tests end when a constant elastic deformation is obtained according to the AASHTO guide, as alternative to Cyclic Load Triaxial Test (MEPDG, 2008).

This SW was key in the presented experiment to analyse the behaviour of M_r under variable natural conditions. These study focuses on local materials and analyses the effect of compaction, soil density and humidity. This is important as, during the year, the seasonal cycle generates abrupt changes in the roads and can damage them.

Materials and methods

The presented analysis was carried out on a pavement constructed in the vicinity of the city of Brno. The deformation behaviour of natural base materials was determined in soils taken from the active zone of the forest roadway at a depth of about 500 mm below the construction layers. From the roadway subgrade, soil classification analysis was performed according to the Unified Soil Classification System (USCS) according (ČSN EN ISO 14688-2, 2005 and ČSN EN ISO 14689-1,2004). In addition to the classification tests, a standard Proctor test (ČSN EN ISO 13286-2, 2015) was performed to define the optimum moisture and maximum dry density. Resilient Modulus was measured on the CBR device which allows the application of cyclic loading (PUV 304642, 2014) in order to obtain Resilient Modulus according to MENDELU methodology.

To detect the changes produced by humidity and compaction, the following methodology has been followed, using the second test-type of the SW. First, a sample is compacted according to the CBR test standards (ČSN EN ISO 13286-47, 2015) and a CBR cyclic test is carried out on each side of this sample to check the effect of different levels of compaction ($M_{r,max1}$ and $M_{r,min2}$). After this, a sample is compacted again and the same tests are carried out but switching the order surfaces ($M_{r,max2}$ and $M_{r,min1}$). In addition to the influence of the degree of compaction on M_r , the influence of increasing humidity was also monitored.

The moisture content of the sample was increased gradually from 2% to the maximum allowed by the material itself. Finally, ten samples have been tested with the optimum moisture content of the material.

Results

Geotechnical Result

The analysed material was classified following (ČSN EN ISO 17892-4, 2017) as a F4 CS compound by a 21.6% of gravel, a 29.1% of sand and a 49.4% of thin material. That thin material following (ČSN EN ISO 17892-1, 2015) y (ČSN EN ISO 17892-12, 2018) as clay (sasiCl) sandy silty clay. Laboratory Reference Density 1820 kgm³ and Water Content 8.5 % from the Proctor Compaction test.

In total 54 cyclic tests were carried out with increasing and optimum humidity. The humidity was progressively increased and a constant tension was applied with a maximum of 210 kPa, the value expected in subgrade. (Fig.1).




Fig. 6: Cyclic CBR test result under a set maximum stress level.

For each moisture content two measurements were carried out. On the most compacted surface, resp. least compacted, and the Modulus of Resilience Mr,max, resp. Mr,min was calculated.

The moisture values for the most compacted surface were found to be between 2.84 % and 17.03 %, for the least compacted surface between 2.11 % and 17.82 %.

Dry density values for the most compacted surface were found to range from 1408.71 kgm3 to 1837.50 kgm3, for the least compacted surface from 1413.41 kgm3 to 1823.63 kgm3.

The density values are averages over the whole sample and are therefore not representative of the actual density on each surface. They serve to control and verify the performance of the test and for the preparation of the results.

The Resilient Modulus values for the most compacted surface were found to range from 77.0 MPa to 1000 MPa, for the least compacted surface from 48.57 MPa to 848.14 MPa.

The trends of the M_r values related to dry density can be seen in Fig. 2. The values of the two Modulus, $M_{r,min}$ and $M_{r,max}$, increase from the lowest density and culminate near the maximum dry density obtained from the proctor test. Modulus $M_{r,max}$ archives higher values.




Fig. 7: Relation between the Resilient Modulus and the density of the material

Fig. 3 shows the trends of the Mr values in relation to humidity. The values of the two Modulus, $M_{r,min}$ and $M_{r,max}$, increase from the lowest humidity and culminate at humidity 13 %, slightly above the optimum humidity.




Fig. 8: Relation between the Resilient Modulus and the moisture of the material

Discussion

Analysis showed that the Resilient Modulus reaches higher values in the case of higher compaction, while at the same time shows a clear dependence of the modulus on moisture. They peaked at optimum moisture and after exceeding the maximum dry weight. Although this trend was expected to be fulfilled only in the case of modulus and moisture dependence when the soil is more compacted, the modulus growth stopped after exceeding the maximum dry weight and started to decrease. However, the modulus growth stopped after exceeding the maximum dry weight and started to decrease.

Conclussion

The problem of modulus definition and sample preparation is essential for pavement design. The results obtained from this analysis show the influence of natural conditions on the variety of parameters of construction materials. The modulus varies with humidity and density and the parameters influence the values with similar shape. In both cases the module values increase to the ones obtained from Proctor compaction and even when the density increases the values do not go up.

References

ČSN 73 6108 (736108) Forest Road Network; Office of technical standardisation, metrology and state testing. Prague, Czech Republic, 2018

American Association of State Highway and Transportation Officials. A Policy on Geometric Design of Highways and streets. California, United States, 2011.

ČŠN EN 13286-7. Unbound and Hydraulically Bound Mixtures—Part 7: Cyclic Load Triaxial Test for Unbound Mixtures; Institute for Technology Standardization, Metrology and State Testing: Prague, Czech Republic, 2004.

Impacts of Low-capacity Roadways on Adjacent ecosystems; Department of Landscape Management Faculty of Forestry and Wood Technology Mendel University in Brno. Brno, Czech Republic, 2020 PUV 304642MENDELOVA UNIVERZITA V BRNĚ, GEOSTAR, SPOL.S.R.O. BRNO. Automatické

ovládací zařízení geotechnického stroje na měření únosnosti zeminy a metoda práce s tímto zařízením. ŠEVELOVÁ, L.--HAUSER, J. 304642, Úřad průmyslovéhovlastnictví, Česká republika, 2014

ČSN EN ISO 14689-1. Geotechnical Investigation and Testing-Dentification and Classification of Rock-Part 1: Identification and Description; Institute for Technology Standardization, Metrology and State Testing: Prague, Czech Republic, 2004.,

ČSN EN ISO 14688-2. Geotechnical Investigation and Testing-Identification and Classification of Soil-Part 2: Principles for a Classifica-tion; Institute for Technology Standardization, Metrology and State Testing: Prague, Czech Republic, 2005.

ČSN EN ISO 13286-47. Unbound and Hydraulically Bound Mixtures—Part 47: Test Method for the Determination of California Bearing Ratio, Immediate Bearing Index and Linear Swelling; Institute for Technology Standardization, Metrology and State Testing: Prague, Czech Republic, 2015.

ČSN EN ISO 13286-2. Unbound and Hydraulically Bound Mixtures-Part 2: Test Methods for the Determination of the Laboratory Reference Density and Water Content-Proctor Compaction; Institute for Technology Standardization, Metrology and State Testing: Prague, Czech Republic, 2015.

ČSN EN ISO 13286-47. Unbound and Hydraulically Bound Mixtures—Part 47: Test Method for the Determination of California Bearing Ratio, Immediate Bearing Index and Linear Swelling; Institute for Technology Standardization, Metrology and State Testing: Prague, Czech Republic, 2015

Souhrn

V této studii byl analyzován vliv zhutnění, hustoty a vlhkosti na modul pružnosti zemin. Za tímto účelem byly použity cyklické zkoušky CBR a data byla shromážděna a zpracována pomocí specializovaného softwaru Mendelovy univerzity. Výsledky ukazují, že tyto parametry významně mění hodnotu modulu pružnosti. Vždy však dosahuje maxima při optimální hustotě a vlhkosti, které byly dříve získány z Proktorovy zkoušky zhutnění.

Contact:

Iñigo Garcia de Diego

E-mail: inigardie@gmail.com

Open Access. This article is licensed under the terms of the Creative Commons Attribution 4.0 International License, CC-BY 4.0 (https://creativecommons.org/licenses/by/4.0/)



Title: Public recreation and landscape protection – with environment hand in hand?

Proceedings of the 14th Conference

Editor of the proceeding: associate Professor Ing. Jitka Fialová, MSc., Ph.D. Publisher: Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia Print: Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia

Edition: 1st Edition, 2023

No. of pages: 392 No. of copies: 75

ISBN 978-80-7509-905-1 (print)

ISBN 978-80-7509-904-4 (online; pdf)

ISSN 2336-6311 (print)

ISSN 2336-632X (online; pdf)

https://doi.org/10.11118/978-80-7509-904-4