

**Mendel University in Brno  
Czech Society of Landscape Engineers – ČSSI, z.s.**

**Public recreation and landscape protection  
– with environment hand in hand?**



**Proceedings of the 14th Conference**

**Editor: Jitka Fialová**

**9th–11th May 2023, Křtiny**

**MENDEL UNIVERSITY IN BRNO**

**Czech Society of Landscape Engineers – ČSSI, z. s.,**



**and**

**Department of Landscape Management  
Faculty of Forestry and Wood Technology  
Mendel University in Brno**



**Public recreation and landscape protection  
—  
with environment hand in hand?**

**Proceedings of the 14<sup>th</sup> Conference**

**Editor: associate Professor Ing. Jitka Fialová, MSc., Ph.D.**

**9–11 May 2023  
Křtiny**

Under the auspices  
of prof. Dr. Ing. Jan Mareš, the Rector of Mendel University in Brno,  
of prof. Dr. Ing. Libor Jankovský, the Dean of the Faculty of Forestry and Wood Technology,  
Mendel University in Brno,  
of doc. Ing. Tomáš Vrška, Dr., the Director of Training Forest Enterprise Masaryk Forest  
Křtiny, Mendel University in Brno,  
of Ing. Dalibor Šafařík, Ph.D., the Chief Executive Office, Forests of the Czech Republic,



of JUDr. Markéta Vaňková, the Mayor of the City of Brno,



and of Mgr. Jan Grolich, the Governor of South Moravia,

## south moravian region

in cooperation with Czech Bioclimatological Society, Nature Conservation Agency of the  
Czech Republic) and Partnerství, o.p.s.,

with the financial support of FS Bohemia Ltd.



The authors are responsible for the content of the article, publication ethics and the citation  
form.

All the articles were peer-reviewed.

© Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia

ISBN 978-80-7509-905-1 (print)

ISBN 978-80-7509-904-4 (online ; pdf)

ISSN 2336-6311 (print)

ISSN 2336-632X (online ; pdf)

<https://doi.org/10.11118/978-80-7509-904-4>

Open Access. This book is licensed under the terms of the Creative Commons Attribution 4.0  
International License, CC-BY 4.0 (<https://creativecommons.org/licenses/by/4.0/>)



## Contents

ADOLESCENTS' SMARTPHONE USAGE IN ACTIVE RECREATION AND NATURAL ENVIRONMENT <i>Stanislav Azor, Michal Marko, Štefan Adamčák</i> .....	9
ASSESSMENT OF EXTREME, LONG-TERM METEOROLOGICAL DROUGHT IN WESTERN PART OF SERBIA <i>Martina Zeleňáková, Milan Gocić, Hany Farhat Abd-Elhamid, Mladen Milanović, Tatiana Soláková</i> ....	14
AWARENESS OF SLOVAK TOURISTS ON POSSIBILITIES TO VISIT GEOSITES <i>Lubomír Štrba, Branislav Kršák, Lenka Varcholová, Michaela Podoláková, Silvia Palgutová, Csaba Sidor</i> .....	20
BANK STABILIZATION – NON-TRADITIONAL WAYS OF USING VEGETATION <i>Miloslav Slezinger, Dana Košťálová</i> .....	24
BIOCULTURAL DIVERSITY: SACRAL MONUMENTS AS HABITATS FOR BIRDS <i>Ivo Machar, Helena Kiliánová, Vilém Pechanec</i> .....	27
CARAVANNING AND TRAMPING VERSUS CAMPING AND NATURE CONSERVATION <i>Antonín Tůma</i> .....	31
CAUSES OF OVERCOMING OVERTOURISM FAILURE IN CZECHIA <i>Emil Drápela</i> .....	35
ECOTOURISM IN AMAZONIAN ECUADOR – BOSQUE MEDICINAL PROJECT <i>Petr Jelínek, Michal Hegar, Martin Mrkvička</i> .....	39
ERGONOMIC APPROACH IN TOURISM FOR VISITORS WITH SPECIAL NEEDS <i>Eva Abramuszkinová Pavlíková, Osman Nuri Özdogan , Cihan Yilmaz</i> .....	45
EVALUATION OF THE LANDSCAPE'S POTENTIAL FOR RECREATION <i>Daniela Smetanová</i> .....	50
EXPLORING THE RECREATIONAL POTENTIAL OF URBAN GAPS <i>Tímea Žolobaničová, Miroslav Čibik, Roberta Štěpánková</i> .....	57
EXPLORING WHITE SPACES ON URBAN MENTAL MAPS <i>Miroslav Čibik, Tímea Žolobaničová, Roberta Štěpánková</i> .....	63
FOREST EDUCATION AS THE BASIS FOR CONSCIOUS USE OF ALL FOREST FUNCTIONS BY SOCIETY IN THE CELESTYNŃW FOREST DISTRICT <i>Kamil Źořadek, Růža Brytan, Artur Dawidziuk</i> .....	67
GREEN AREAS AND NATURAL POTENTIAL OF THE POLISH CITY OF CIESZYN IN THE OPINION OF RESIDENTS <i>Edyta Rosłon-Szeryńska</i> .....	71
HEALTH VALUES OF FORESTS IN THE OPINION OF POLISH RESIDENTS <i>Emilia Janeczko, Małgorzata Woźnicka</i> .....	79
HISTORICAL EVOLUTION OF FESTIVALS IN GUIMARAS ISLAND: ITS IMPLICATION TO TOURISM INDUSTRY GROWTH <i>Norie H. Palma, Jasmin T. Gadian, Josie H. Gaitano, Revenlie G. Galapin, Petr Kupec</i> .....	83

HOW HIGH ARE THE ECONOMIC BENEFITS OF OUTDOOR RECREATIONAL USE FROM THE NEWLY DESIGNATED LANDSCAPE PROTECTED AREA? <i>Jan Melichar, Petr Pavelčík, David Zahradník, Marek Banaš, Radim Misiáček, Jana Hamanová, Martin Slaba, Viktorie Kováčová</i> .....	88
HOW TO MEASURE AND USE NATURE-BASED RECREATION EFFECTS: EXAMPLE OF RESULTS FOR THE VLTAVA RIVER CASCADE <i>Kateřina Mácová, Jan Melichar, Vojtěch Havlíček, Martin Heřmanovský, Filip Strnad, Pavel Fošumpaur, Karel Březina, Martin Hanel, Martin Horský, Tomáš Kašpar, Vojtěch Sýs</i> .....	93
HOW TO SUPPORT CARBON SEQUESTRATION AND RECREATIONAL POTENTIAL AT THE SAME TIME <i>Jan Deutscher, Jana Smolíková</i> .....	97
CHANGE OF THE WAY THAT LANDSCAPE IS USED AND IT IS EFFECT ON THE RECREATIONAL AND TOURIST POTENTIAL <i>Jan Szturc, Jan Prachowski, Jana Podhrázská, Petr Karásek, Josef Kučera</i> .....	101
IMPLEMENTATION OF GREEN INFRASTRUCTURE ELEMENTS TO IMPROVE RECREATION IN THE VILLAGE OF DRIENOV, SLOVAKIA <i>Martina Zeleňáková, Natália Junáková</i> .....	106
IMPLICATIONS OF THE NATURE OF FORESTRY AND WOOD ENTERPRISES IN LATVIA <i>Dastan Bamwesigye, Ingus Grinbergs, Amanda Puzule, Tina Ķikule</i> .....	111
INFLUENCE OF RECREATIONAL ACTIVITIES ON THE DISTRIBUTION OF FOREST WILD BOAR ROOTING <i>Jakub Drimaj, Marie Balková, Jakub Špoula, Jiří Kamler, Ondřej Mikulka, Radim Plhal, Miloslav Homolka</i> .....	116
INNOVATIVE TECHNOLOGY OF SAPLINGS PLANTING FOR INCREASE TOURISM POTENTIAL OF THE LANDSCAPE <i>Luboš Staněk, Ladislav Zvěřina, Radomír Ulrich</i> .....	119
INTEGRATION OF NICHE AGRICULTURAL CROPS IN THE DEVELOPMENT OF ROMANIAN RURAL TOURISM. CASE STUDY: WALNUT CULTURE IN ROMANIA AFTER 1990 <i>Constantin-Răzvan Oprea, Roxana Cuculici, Iulian Săndulache</i> .....	123
INTELLIGENT DESTINATION GUIDE <i>David Zejda, Martina Pásková</i> .....	130
LANDSCAPE – ARCHITECTURAL PROPOSAL OF JANDURA PARK IN CANBERRA, AUSTRALIA: EXPERIENCE OF BILATERAL COOPERATION BETWEEN TWO UNIVERSITIES <i>Mária Bihuňová, Miroslav Čibik, Roberta Štěpánková, Attila Tóth</i> .....	135
LANDSCAPE CHARACTER AND INTEGRATION OF MINING LAKES INTO THE LANDSCAPE - OPPORTUNITIES AND RISKS <i>Hedvika Psotová</i> .....	140
LANDSCAPE-ARCHITECTURAL SOLUTION AROUND THE RIVER VÁH IN THE CADASTRAL TERRITORY OF SEREĎ WITH AN EMPHASIS ON RECREATION <i>Denis Bechera, Gabriel Kuczman, Miroslav Rusko</i> .....	144
LANDSCAPE-FRIENDLY METHOD OF FOUNDING WOODEN BUILDINGS FOR RECREATIONAL USE <i>Pavla Kotásková, Jitka Fialová</i> .....	149
SHARED-USED RECREATIONAL TRAILS IN THE CZECH REPUBLIC <i>Hana Hermová, Tomáš Kvasnička</i> .....	154

METEOROLOGICAL ACTIVITIES OF J. G. MENDEL AS PART OF THE TOUR OF THE AUGUSTINIAN ABBEY <i>Jaroslav Rožnovský</i> .....	158
MID-FIELD WOODLOTS AS A SUBSTITUTE FOR FORESTS IN AGRICULTURAL AREAS - THE IMPACT ON ENVIRONMENT AND TOURISM <i>Beata Fortuna-Antoszkiewicz, Jan Łukaszkiwicz, Piotr Wisniewski</i> .....	163
MONITORING THE MOVEMENT OF VISITORS IN THE TATRA NATIONAL PARK USING BATTERY-POWERED ONLINE COUNTERS <i>Ivos Gajdorus</i> .....	169
MOUNTAIN RESCUE SERVICE - INEVITABLE HELP AT RECREATIONAL AND SPORT ACTIVITIES IN MOUNTAINOUS AREAS IN SLOVAKIA <i>Matúš Jakubis, Mariana Jakubisová</i> .....	174
NON-WOOD FOREST PRODUCTS: "CULTURE" + "TRADITION" = "EDUCATIONAL POSSIBILITIES". DOES IT MAKE SENSE? <i>Szczepan Kopeć, Paweł Staniszewski</i> .....	179
OLDER ADULTS AS A TARGET GROUP OF USERS OF GREEN AREAS IN PROJECTS OF THE WARSAW CIVIC BUDGET <i>Kinga Kimic, Paulina Polko</i> .....	184
PLANNING THROUGH A GIS THE RECOVERY OF RURAL BUILDINGS FOR THE DEVELOPMENT OF NEW FORMS OF TOURISM HOSPITALITY <i>Pietro Picuno, Salvatore Margiotta</i> .....	188
POSSIBILITIES AND ADVANTAGES OF INDIVIDUAL RECREATION IN THE TOPOLEČANY DISTRICT <i>Regina Mišovičová, Zuzana Pucherová, Henrich Grežo,</i> .....	193
POSSIBILITIES OF RECREATION IN HNILEC RIVER BASIN FROM CLIMATOLOGICAL POINT OF VIEW <i>Patrik Nagy, Katarzyna Kubiak-Wójcicka , Miroslav Garaj , Milan Gocic3</i> .....	198
POSSIBILITIES OF USING NEW TECHNOLOGIES IN CULTURAL TOURISM IN THE POST COVID ERA <i>Kristýna Tuzová, Milada Šťastná</i> .....	202
PROBLEMS OF RURAL LANDSCAPE'S PROTECTION VS ANTHROPOPRESSURE AND RECREATION MOVEMENT - THE EXAMPLE OF THE NATURE RESERVE "STAWY RASZYŃSKIE" NEAR WARSAW <i>Jan Łukaszkiwicz, Beata Fortuna-Antoszkiewicz</i> .....	206
PUBLIC RECREATION AND TOURISM ARE ASPECTS THAT AFFECT NOT ONLY THE ENVIRONMENT <i>David Brandejs, Pavel Klika</i> .....	212
QUALITATIVE ASSESSMENT OF THE PREPAREDNESS AND POTENTIAL OF NATURE PROTECTED AREAS TO SUPPORT SUSTAINABLE TOURISM <i>Radek Timoftej and Hana Brůhová Foltýnová</i> .....	217
RECREATION IN CZECH LARGE PROTECTED AREAS: COUNTED AND SORTED <i>Tomáš Janík</i> .....	224
RECREATION LAND USE IN TERMS OF WATER PROTECTION <i>Maria Hlinkova, Rastislav Fijko</i> .....	228

RECREATIONAL POTENTIAL OF RADOŠINKA MICROREGION: LANDSCAPE – ARCHITECTURAL PROPOSAL OF THE CYCLO ROUTE <i>Mária Bihuňová, Branislav Králik</i> .....	232
RECREATIONAL USE OF FOREST ROADS IN THE TERRITORY OF NATIONAL PARKS AND PROTECTED LANDSCAPE AREAS <i>Roman Bystrický</i> .....	237
REFORM OF THE CONSTRUCTION ADMINISTRATION IN RELATION TO THE PERMITTING OF BUILDINGS FOR RECREATION <i>Alena Kliková</i> .....	243
REVITALISATION OF DRAINED FOREST AREA <i>Jana Marková, Petr Pelikán</i> .....	249
REVITALIZATION OF THE PARK IN THE CENTER OF IVANKA PRI DUNAJI <i>Gabriel Kuczman, Denis Bechera</i> .....	253
RISK ASSESSMENT ON GEODIVERSITY SITES <i>Lucie Kubalíková, Eva Nováková, František Kuda, Karel Kirchner, Aleš Bajer, Marie Balková</i> .....	258
RIVERS AS BACKBONES FOR URBAN AND PERIURBAN RECREATION – CASE STUDIES FROM KOŠICE AND PREŠOV, SLOVAKIA <i>Juraj Illes, Katarína Kristianova</i> .....	263
SMALL-SCALE INVASIVE INTERVENTIONS AS IMPULSES FOR THE REACTIVATION OF FORGOTTEN URBAN SPACES <i>Miroslav Čibík, Katarína Jankechová</i> .....	268
STUDY OF THE RELATIONSHIP OF MOISTURE AND COMPACTION ON THE MODULUS OF RESILIENCE OBTAINED BY CYCLIC CBR TESTING IN LOCAL SOILS FOR A QUALITY RURAL TOURISM <i>Iñigo Garcia, Lenka Ševelová</i> .....	273
THE "KAMIEŃ" EDUCATIONAL PAVILION IN WARSAW AS A PLACE OF PRO-ENVIRONMENTAL ACTIVATION OF THE URBAN COMMUNITY <i>Kinga Kimic , Magdalena Wolska</i> .....	277
THE ASSESSMENT OF ECOSYSTEM SERVICES IN TRNAVA (SLOVAKIA) AND SURROUNDING REGION <i>Radovan Pondelík, Martin Zápotocký</i> .....	282
THE CONCEPT OF SENSE OF PLACE IN ENVIRONMENTAL EDUCATION <i>Dominik Rubáš, Tomáš Matějček, Tomáš Bendl</i> .....	286
THE EFFECT OF GRASS STRIPS ON SOIL RETENTION AND EROSION REDUCTION IN AGRICULTURAL LANDSCAPE <i>Petr Karásek, Josef Kučera, Michal Pochop</i> .....	290
THE FIRST OFFICIAL FOREST MIND TRAIL IN THE CZECH REPUBLIC – KŘTINY ARBORETUM <i>Jitka Fialová, Martina Holcová</i> .....	295
THE HIPOROUTES IMPLEMENTATION OPTIONS FROM ALTERNATIVE MATERIALS <i>Václav Mráz, Jiří Ježek , Karel Zlatuška , Vlastimil Nevřkla</i> .....	302
THE IMPACT OF THE CREATION OF A RECREATIONAL AREA BY RECLAMATION OF A SURFACE MINE ON PROPERTY VALUE <i>Vítězslava Hlavinková, Martina Vařechová</i> .....	306

THE IMPLEMENTATION OF GIS TOOLS FOR PLANNING THE DEVELOPMENT OF RURAL TOURISM ALONG THE NETWORK OF OLD SHEEP-TRACKS <i>Giuseppe Cillis, Dina Statuto, Pietro Picuno</i> .....	311
THE IMPORTANCE AND FUNCTIONS OF RIPARIAN STANDS OF THE RECREATIONAL WATER RESERVOIR POČÚVADLO IN ŠTIAVNICKÉ VRCHY <i>Mariana Jakubisová, Matúš Jakubis</i> .....	316
THE ISSUE OF GEO-EDUCATION ON NATURE TRAILS IN THE FIRST SLOVAK GEOPARK BANSKÁ ŠTIAVNICA <i>Silvia Palgutová, Michaela Podoláková, Lenka Varcholová, Branislav Kršák, Ľubomír Štrba</i> .....	321
THE ROAD FROM THE CITY TO THE FOREST. OR HOW FAR IS THE URBAN MAN FROM A FUNCTIONAL FOREST? <i>Vilém Pechanec, Helena Kilianová, Ivo Machar</i> .....	326
THE ROLE OF LAND CONSOLIDATION IN RURAL SPACE DEVELOPMENT <i>Jana Konečná, Michal Pochop, Jana Podhrázká, Petr Karásek, Eva Nováková</i> .....	331
THE ROLE OF WETLANDS IN FLOOD PROTECTION PROCESSES IN THE LANDSCAPE – CASE STUDY <i>Marián Dobranský, Peter Bujanský, Gao Zhenjun</i> .....	336
THE UNFINISHED HITLER'S MOTORWAY – A HERITAGE IN THE CONTEMPORARY LANDSCAPE <i>Ivo Dostál, Marek Havlíček, Hana Skokanová</i> .....	340
TRADITIONAL COPPICE MANAGERMENTS AT THE LANDSCAPE LEVEL TOGETHER WITH RECREATIONAL USE <i>Barbora Uherková, Jan Kadavý, Zdeněk Adamec, Michal Friedl, Aleš Kučera, Robert Knott, Michal Kneifl, Jakub Drimaj</i> .....	346
TRANSFORMATION OF GARDEN SETTLEMENTS INTO A RESIDENTIAL ZONE <i>Sofie Pokorná, Vítězslava Hlavinková</i> .....	351
UNDERGROUND SPACES IN BOSONOŽSKÝ HÁJEK NATURE RESERVE AND THEIR GEOEDUCATION IMPORTANCE <i>Karel Kirchner, František Kuda, Vít Baldík, Lucie Kubalíková</i> .....	356
URBAN AGRICULTURE – ECOSYSTEM AND CULTURAL FUNCTIONS OF ORCHARD VEGETATION <i>Jan Winkler, Petra Martínez Barroso, Doubravka Kuříková, Helena Pluháčková, Aleksandra Nowysz</i> .....	360
VALORIZATION OF AN OLD SHEEP TRAIL AS A NEW OPPORTUNITY FOR SUSTAINABLE PUBLIC RECREATION: A CASE STUDY IN SOUTHERN ITALY <i>Dina Statuto, Giuseppe Cillis, Pietro Picuno</i> .....	364
WHERE NATURE MEETS ADVENTURE: TOURIST ACTIVITIES AT DOBROGEI GORGE NATURE RESERVE, ROMANIA <i>Teodorescu Camelia, Szemkovics Laurentiu-Stefan, Dumitrascu Alina Viorica</i> .....	369
WHERE THE SQUARE MEETS THE STREAM: RE-DESIGNING THE RURAL SQUARE IN VEĽKÝ KÝR, SLOVAKIA <i>Attila Tóth</i> .....	373
WHICH INFLUENCE HAS DEFORESTATION ON TOURISTIC RECREATIONAL AREAS IN SUCEAVA COUNTY? <i>Ana-Maria Ciobotaru</i> .....	378



WILL THE REMOVAL OF THE RECREATIONAL SYMBOL OF JESENÍKY MOUNTAIN SUMMIT PARTS, THE DWARF PINE FORESTS, AFFECT THE ECOSYSTEM FUNCTIONS OF THE HILLS?  
*Petr Kupec, Petr Čech, Jan Deutscher* ..... 382

WINDBREAKS AS AN IMPORTANT ECO-STABILISING AND SOIL-PROTECTIVE ELEMENTS IN THE LANDSCAPE OF SOUTH MORAVIA  
*Josef Kučera, Jana Podhrázská, Michal Pochop, Petr Karásek* ..... 387

## HOW TO SUPPORT CARBON SEQUESTRATION AND RECREATIONAL POTENTIAL AT THE SAME TIME

*Jan Deutscher<sup>1</sup>, Jana Smolíková<sup>2</sup>*

*<sup>1</sup>Department of Landscape Management, Faculty of Forestry and wood Technology, MENDELU, Zemědělská 3, 613 00 Brno, Czechia*

*<sup>2</sup>CI2, o. p. s., Oldřichova 517/33, 128 00 Praha 2 – Nusle, Czechia*

<https://doi.org/10.11118/978-80-7509-904-4-0097>

### **Abstract**

In recent years, planting trees to protect the climate has become very popular both in the world and here in the Czech Republic. The Paris Agreement in December 2015 and the resulting Nationally Determined Contributions significantly supported the need for the creation and improvement of carbon accounting methods for investments into the forest sector. Appropriately chosen and well-executed tree planting offers a natural, ecological, relatively cheap, and above all simple way to reduce the amount of carbon dioxide (CO<sub>2</sub>) in the atmosphere as well a number of other environmental benefits. One of these benefits is the positive effects on human well-being and landscape aesthetics both of which is commonly utilized to support recreational potential. However, understanding the financial value of environmental benefits (ecosystem functions) of natural ecosystems and woody vegetation has been an ongoing challenge that still limits the full utilization of close-to-nature landscape management up to this day. Here we show how carbon sequestration potential of individual trees can be evaluated which can in return serve as a motivation tool for conscious tree planting in the rural landscape during all steps of decision making process.

**Key words:** tree planting, rural landscape, biomass, CO<sub>2</sub> concentration

### **Introduction**

In recent years, planting trees for climate protection has become very popular both in the world and in the Czech Republic. Based on the Paris Agreement of December 2015 and the resulting Nationally Determined Contributions have significantly supported the need for the development and improvement of carbon accounting methods for investments not only in forestry (Van der Gaast et al., 2018). Appropriately chosen and well executed tree planting offers a natural, ecological, relatively cheap, and above all simple way to reduce the amount of carbon dioxide (CO<sub>2</sub>) in the atmosphere. At the same time, trees are very popular with a large part of the urban population in particular. This combination has given rise to many initiatives that have started to plant trees with the financial support of donors who want to offset their carbon footprint or simply contribute to environmentally beneficial projects.

As part of the carbon cycle, trees are an important reservoir of CO<sub>2</sub>, absorbing and storing it in the wood pulp, where it can remain for tens to hundreds of years. During its lifetime, a tree absorbs CO<sub>2</sub> associated with its growth. You could say that the tree feeds on CO<sub>2</sub>. The tree takes CO<sub>2</sub> from the air and begins to process it through photosynthesis. This gas contains two elements - oxygen and carbon. The tree doesn't need the oxygen, so it releases it back into the atmosphere and keeps only the carbon. This is converted into sugars, which the tree uses for its growth. Some of the carbon is shipped to the leaves, and the carbon that ends up in the wood can be held there for decades. When the tree dies, its tissues begin to decompose and become part of the soil. During the process of decomposition, CO<sub>2</sub> is released back into the air by the respiration of the microbes that cause the decomposition, but some of the carbon remains in the soil for decades or centuries. Terrestrial plants, along with soil, hold approximately 2,500 gigatons of carbon, which is 3 times more than is found in the atmosphere (Waring, 2021).

It should also be said that trees are indispensable on a planetary scale for many other reasons, and carbon sequestration is just one ecosystem service on an incalculably long list (Miura et al., 2015). They are also widely sought after by people for recreation, relaxation and even promote better mental health. It is clear that trees are an important tool not only for protecting the climate, maintaining biodiversity and ecological stability, but also for maintaining a good quality of life for people.

In the Czech Republic, forest covers 33% of its territory. This is a relatively high figure, but it does not in itself guarantee sufficient climate function or sufficient CO<sub>2</sub> storage. This is mainly due to the deterioration of the current state of forests in the Czech Republic and rapidly changing climatic conditions, especially warming causing an increase in evapotranspiration (Kupec et al., 2021). The current composition of our forests is 70% coniferous forests and 30% deciduous forests, although the natural composition corresponding to natural conditions is exactly the opposite, i.e. 35% coniferous

and 65% deciduous (CENIA, 2022). This has a major impact on spruce in particular, which was planted in areas outside its natural habitat where it was too warm and dry for it, making the trees more vulnerable. Monocultures, production forests full of trees of the same age with trees planted too densely are also less resilient. This brings to the forefront the importance of green infrastructure, e.g. trees growing outside of the forest land, which is extremely important for the health of landscapes and communities. This is where the intersection between climate protection and recreational potential can be seen.

Planting trees that match the natural species composition in suitable locations outside the forest can help to improve the environment ecologically and has the potential to improve the quality of place for people to live in and travel to. In addition, it will promote CO<sub>2</sub> storage. A good example of planting 'scattered greenery' is, among other things, the restoration of old dirt roads that have been ploughed for agricultural purposes in the past. Similarly, planting, for example, avenues along cycle paths, restoring orchards and planting in villages can also help them to adapt better to climate change. Such multifunctional approach has been called for a long time now (Otte et al., 2007)

The ideal species for planting in our conditions are native forest and noble fruit species. Non-native tree species do not belong in our nature, usually do not provide food for native insects and can be invasive and their use is limited by the Nature law (114/1992 Coll. Nature and Landscape Protection Act). Therefore, planting should always be planned and implemented under the supervision of experts. Unprofessional planting can cause more harm than good, either by choosing unsuitable species or inappropriate locations. Inappropriate species may not thrive on the site, may have invasive potential or may cause allergies, for example. On a poorly chosen site, trees may not survive or have the opposite effect to that expected. Similarly, it is important to remember that the Czech landscape is a cultural landscape, where different types of use and management have historically been mixed. Planting should not be a source of excessive restriction of its other functions.

### **Material and methods**

To assess the efficiency of trees for carbon sequestration, it is necessary to know how much CO<sub>2</sub> such a tree can absorb in its lifetime. That is, the amount that is captured in its body at maturity. This amount is determined by the volume of its total biomass. The non-invasive determination of a tree's biomass is relatively complicated, mainly because of the very diverse shapes of the crown and branches. Thus, in practice, we usually rely mainly on trunk thickness and tree height. For forestry purposes and economic tree species, we have a large amount of data available and, as a result, there are mathematical equations for individual species that can estimate tree biomass with accuracy reaching or exceeding 90% based on stem diameter and tree height alone (Zianis et al., 2005). The situation is more complicated for non-forest and fruit trees. For these species not primarily grown for timber, there is insufficient growth data available and their growth may also differ significantly from their forest counterparts.

Anyway, determining the biomass of an individual tree is the first step. Based on this and the average wood density for the species, the dry weight of the tree can then be calculated. About half of this mass is then made up of carbon. According to the molar mass of the elements in the CO<sub>2</sub> molecule, the number is multiplied to find out how much CO<sub>2</sub> has been used for the growth of the tree and retained in the biomass. In order to estimate as accurately as possible the potential amount of CO<sub>2</sub> that can be retained in the bodies of newly planted trees over their lifetime, it is therefore necessary to know the expected size of the tree at mature age.

In order to get a general idea of the amount of biomass of commonly growing fruit trees, the actual field measurements were carried out in cooperation between CI2, o. p. s. ([www.offsetujemeco2.cz](http://www.offsetujemeco2.cz)), the landscape company Memory of the Landscape, s.r.o. ([www.pamet-krajiny.cz](http://www.pamet-krajiny.cz)) and Mendel University in Brno. Locations with mature fruit trees were selected. They were surveyed for basic dendrometric characteristics, physiological age and growth conditions according to a modified methodology presented by the Czech Nature Conservation Agency (AOPK CR standards, 01 001 Tree Condition Assessment, <https://nature.cz/platne-standardy>).

### **Results**

A total of 584 fruit tree specimens were evaluated. These were commonly occurring fruit tree species without distinguishing varieties. 128 pears (*Pyrus communis*), 138 apple trees (*Malus domestica*), 122 cherries (*Prunus avium*) and 170 plums (*Prunus domestica*) were evaluated. The majority of individuals were in the physiological stage 4 - mature tree on site 2 - with good growing conditions.

Tab. 1: Median values for evaluated tree species

Fruit tree	height (m)	coefficient of variation	DBH (cm)	coefficient of variation	CO2 sequestration (ton)
Pear	10,9	0,18	50,50	0,18	2,21
Apple	6,8	0,17	36,00	0,17	1,38
Cherry	8,3	0,17	41,50	0,17	1,54
Plum	6,1	0,12	38,50	0,1	0,97

The coefficient of variation on more than 120 individuals of each fruit tree species did not exceed 0,2 (Table 1). Thus, the results can be interpreted in a way that more than 80% of the individuals were very similar to each other in dendrometric parameters. This indicates that under similar growth conditions and at similar physiological ages, the variability in growth of fruit trees is not so dramatic as to preclude generalization of the results. The results show that extensively grown long-lived fruit trees (cherry, apple and pear) are able to sequester around 1,5 tons of CO<sub>2</sub> during their lifetime.

### Discussion

Planting trees alone will not stop climate change, but it will contribute to reducing greenhouse gases already present in the atmosphere. While this is a long-term issue, lasting several decades, the CO<sub>2</sub> that already exists can be actively absorbed. In contrast, renewable energy sources, for example, work immediately when they are installed, but do not 'merely' emit new CO<sub>2</sub> during their operation and do close to nothing to reduce its current concentrations. It is therefore necessary to look for other strategies to remove the carbon that has already accumulated in the atmosphere. A combination of several measures at the same time is therefore ideal. In this sense, the benefits of tree planting come not only from the reduction of greenhouse gases, but from the overall positive benefits to the landscape and its inhabitants described in the introduction. In addition, trees also help us to better adapt to changes in the climate, for example during hot summers, and improve the quality of the environment in which we live.

At the same time, the current campaigns to plant new trees are commendable, but they must be done judiciously. It is not only the number of trees that matters, but also their characteristics, species composition and site-specific conditions. Young plantings will only be effective in terms of greenhouse gas retention if they reach mature age. They should therefore be given proper care. A major risk of these planting initiatives is when they focus primarily on the number of trees planted or their growth rate. Both are inappropriate indicators of a tree's ultimate carbon storage capacity and even worse indicators of biodiversity. The solution is therefore not to reforest every available area. Trees planted in places where no trees should grow will not provide the desired benefit. Neither will trees that are unnecessarily felled. On the other hand, every suitably planted tree that lives to a mature age counts.

### Conclusions

Appropriately chosen and well-executed tree planting offers a natural, ecological, relatively cheap, and above all simple way to reduce the amount of carbon dioxide (CO<sub>2</sub>) in the atmosphere as well a number of other environmental benefits. One of these benefits is the positive effects on human well-being and landscape aesthetics both of which is commonly utilized to support recreational potential. However, understanding the financial value of environmental benefits (ecosystem functions) of natural ecosystems and woody vegetation has been an ongoing challenge that still limits the full utilization of close-to-nature landscape management up to this day. According to our result, the total CO<sub>2</sub> sequestered in mature most common fruit trees in the CR was estimated to ca 1,5 tons (0,97 – 2,21 according to tree species). This can help to motivate and promote future greening projects especially in the rural landscape where extensive management of fruit trees has been a part of the traditional and cultural way of life.

### References

- CENIA (2022) Statistická ročenka životního prostředí České republiky 2021 MŽP. Dostupná na: [https://www.cenia.cz/wp-content/uploads/2023/01/Statisticka\\_Rocenka\\_ZP\\_CR\\_2021.pdf](https://www.cenia.cz/wp-content/uploads/2023/01/Statisticka_Rocenka_ZP_CR_2021.pdf)
- Otte, A., Simmering, D., & Wolters, V. (2007). Biodiversity at the landscape level: recent concepts and perspectives for multifunctional land use. *Landscape Ecology*, 22(5), 639-642.
- Kupec, P., Deutscher, J., & Futter, M. (2021). Longer growing seasons cause hydrological regime shifts in central European forests. *Forests*, 12(12), 1656.
- Miura, S., Amacher, M., Hofer, T., San-Miguel-Ayanz, J., & Thackway, R. (2015). Protective functions and ecosystem services of global forests in the past quarter-century. *Forest Ecology and Management*, 352, 35-46.

Van der Gaast, W., Sikkema, R., & Vohrer, M. (2018). The contribution of forest carbon credit projects to addressing the climate change challenge. *Climate Policy*, 18(1), 42-48.

Waring, B. (2021). There aren't enough trees in the world to offset society's carbon emissions—and there never will be. *The Conversation*.

Zianis, D., Muukkonen, P., Mäkipää, R., & Mencuccini, M. (2005). Biomass and stem volume equations for tree species in Europe. *Fl.*

### **Acknowledgement**

We would like to acknowledge the support of CI2, o. p. s. ([www.offsetujemeco2.cz](http://www.offsetujemeco2.cz)) and Paměť krajiny, s.r.o. ([www.pamet-krajiny.cz](http://www.pamet-krajiny.cz)) and the project "Support of offset projects as a functional tool for climate protection", which was co-financed by a grant from the Ministry of the Environment from the Programme for Support of NGO Projects for 2022.

### **Souhrn**

V posledních letech se výsadba stromů na ochranu klimatu stala ve světě i u nás v České republice velmi populární. Pařížská dohoda z prosince 2015 a z ní vyplývající národně stanovené příspěvky významně podpořily potřebu vytvoření a zdokonalení metod uhlíkového účetnictví pro investice do lesního sektoru. Vhodně zvolená a dobře provedená výsadba stromů nabízí přirozený, ekologický, relativně levný a především jednoduchý způsob, jak snížit množství oxidu uhličitého (CO<sub>2</sub>) v atmosféře i řadu dalších environmentálních přínosů. Jedním z těchto přínosů je pozitivní vliv na pohodu člověka a estetiku krajiny, přičemž obojí je běžně využíváno k podpoře rekreačního potenciálu. Podle našeho výsledku bylo celkové množství CO<sub>2</sub> sekvestrovaného ve vzrostlých nejběžnějších ovocných stromech v ČR odhadnuto na cca 1,5 tuny (0,97 - 2,21 podle druhu stromu). To může přispět k motivaci a podpoře budoucích ekologizačních projektů zejména ve venkovské krajině, kde je extenzivní hospodaření s ovocnými stromy součástí tradičního a kulturního způsobu života.

### **Contact:**

Jan Deutscher

E-mail: [jan.deutscher@mendelu.cz](mailto:jan.deutscher@mendelu.cz)

Open Access. This article is licensed under the terms of the Creative Commons Attribution 4.0 International License, CC-BY 4.0 (<https://creativecommons.org/licenses/by/4.0/>)



Title: **Public recreation and landscape protection – with environment hand in hand?**

Proceedings of the 14<sup>th</sup> Conference

Editor of the proceeding: associate Professor Ing. Jitka Fialová, MSc., Ph.D.

Publisher: Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia

Print: Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia

Edition: 1<sup>st</sup> Edition, 2023

No. of pages: 392

No. of copies: 75

ISBN 978-80-7509-905-1 (print)

ISBN 978-80-7509-904-4 (online ; pdf)

ISSN 2336-6311 (print)

ISSN 2336-632X (online ; pdf)

<https://doi.org/10.11118/978-80-7509-904-4>