
Mendel University in Brno Czech Society of Landscape Engineers – ČSSI, z.s.

Public recreation and landscape protection – with environment hand in hand?



Proceedings of the 14th Conference

Editor: Jitka Fialová

9th-11th May 2023, Křtiny

MENDEL UNIVERSITY IN BRNO

Czech Society of Landscape Engineers - ČSSI, z. s.,



Department of Landscape Management Faculty of Forestry and Wood Technology Mendel University in Brno



Public recreation and landscape protection with environment hand in hand?

Proceedings of the 14th Conference

Editor: associate Professor Ing. Jitka Fialová, MSc., Ph.D.

Under the auspices

of prof. Dr. Ing. Jan Mareš, the Rector of Mendel University in Brno,

of prof. Dr. Ing. Libor Jankovský, the Dean of the Faculty of Forestry and Wood Technology, Mendel University in Brno,

of doc. Ing. Tomáš Vrška, Dr., the Director of Training Forest Enterprise Masaryk Forest Křtiny, Mendel University in Brno,

of Ing. Dalibor Šafařík, Ph.D., the Chief Executive Office, Forests of the Czech Republic,



of JUDr. Markéta Vaňková, the Mayor of the City of Brno,



and of Mgr. Jan Grolich, the Governor of South Moravia,

south moravian region

in cooperation with Czech Bioclimatological Society, Nature Conservation Agency of the Czech Republic) and Partnerství, o.p.s.,

with the financial support of FS Bohemia Ltd.



The authors are responsible for the content of the article, publication ethics and the citation form.

All the articles were peer-reviewed.

© Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia

ISBN 978-80-7509-905-1 (print)

ISBN 978-80-7509-904-4 (online; pdf)

ISSN 2336-6311 (print)

ISSN 2336-632X (online; pdf)

https://doi.org/10.11118/978-80-7509-904-4

Open Access. This book is licensed under the terms of the Creative Commons Attribution 4.0 International License, CC-BY 4.0 (https://creativecommons.org/licenses/by/4.0/)

Contents

ENVIRONMENT	SMARTPHONE	USAGE	IN	ACTIVE	RECREATI	ON	AND	NATURAL
Stanislav Azor, Mic	hal Marko, Štefan	Adamčák						9
ASSESSMENT OF OF SERBIA	EXTREME, LONG	G-TERM M	ETEC	ROLOGIC	AL DROUGH	HT IN	WESTE	RN PART
Martina Zeleňáková								
AWARENESS OF S L'ubomír Štrba, Bra Sidor	anislav Kršák, Len	ika Varchol	lová, i	Michaela F	Podoláková, k	Silvia	•	
BANK STABILIZAT								20
Miloslav Slezingr, D								24
BIOCULTURAL DIV Ivo Machar, Helena								27
CARAVANNING AN								31
CAUSES OF OVEF Emil Drápela								35
ECOTOURISM IN Petr Jelinek, Micha								39
ERGONOMIC APP Eva Abramuszkinov								45
EVALUATION OF Daniela Smetanová								50
EXPLORING THE I		_	_	_				57
EXPLORING WHIT Miroslav Čibik, Tím								63
FOREST EDUCAT SOCIETY IN THE (Kamil Żołądek, Róż	CELESTYNÓW FO	REST DIS	TRICT	-				
GREEN AREAS AN								
OF RESIDENTS Edyta Rosłon-Szery	yńska							71
HEALTH VALUES Emilia Janeczko, M								79
HISTORICAL EVO		STIVALS	IN G	UIMARAS	ISLAND: I	ITS II	MPLICA	TION TO
Norie H. Palma, Jas		sie H. Gaita	ano, F	Revenlie G.	Galapin, Pet	tr Kup	ec	83

METEOROLOGICAL ACTIVITIES OF J. G. MENDEL AS PART OF THE TOUR OF THE AUGUSTINIAN ABBEY
Jaroslav Rožnovský158
MID-FIELD WOODLOTS AS A SUBSTITUTE FOR FORESTS IN AGRICULTURAL AREAS - THE IMPACT ON ENVIRONMENT AND TOURISM Beata Fortuna-Antoszkiewicz, Jan Łukaszkiewicz, Piotr Wisniewski
MONITORING THE MOVEMENT OF VISITORS IN THE TATRA NATIONAL PARK USING BATTERY-POWERED ONLINE COUNTERS Ivos Gajdorus
MOUNTAIN RESCUE SERVICE - INEVITABLE HELP AT RECREATIONAL AND SPORT ACTIVITIES IN MOUNTAINOUS AREAS IN SLOVAKIA Matúš Jakubis, Mariana Jakubisová
NON-WOOD FOREST PRODUCTS: "CULTURE" + "TRADITION" = "EDUCATIONAL POSSIBILITIES". DOES IT MAKE SENSE? Szczepan Kopeć, Paweł Staniszewski
OLDER ADULTS AS A TARGET GROUP OF USERS OF GREEN AREAS IN PROJECTS OF THE WARSAW CIVIC BUDGET Kinga Kimic, Paulina Polko
PLANNING THROUGH A GIS THE RECOVERY OF RURAL BUILDINGS FOR THE DEVELOPMENT OF NEW FORMS OF TOURISM HOSPITALITY Pietro Picuno, Salvatore Margiotta
POSSIBILITIES AND ADVANTAGES OF INDIVIDUAL RECREATION IN THE TOPOLČANY DISTRICT Regina Mišovičová, Zuzana Pucherová, Henrich Grežo,
POSSIBILITIES OF RECREATION IN HNILEC RIVER BASIN FROM CLIMATOLOGICAL POINT OF VIEW Patrik Nagy, Katarzyna Kubiak-Wójcicka , Miroslav Garaj , Milan Gocic3198
POSSIBILITIES OF USING NEW TECHNOLOGIES IN CULTURAL TOURISM IN THE POST COVID ERA Kristýna Tuzová, Milada Šťastná202
PROBLEMS OF RURAL LANDSCAPE'S PROTECTION VS ANTHROPOPRESSURE AND RECREATION MOVEMENT - THE EXAMPLE OF THE NATURE RESERVE "STAWY RASZYŃSKIE" NEAR WARSAW Jan Łukaszkiewicz, Beata Fortuna-Antoszkiewicz
PUBLIC RECREATION AND TOURISM ARE ASPECTS THAT AFFECT NOT ONLY THE ENVIRONMENT David Brandejs, Pavel Klika
QUALITATIVE ASSESSMENT OF THE PREPAREDNESS AND POTENTIAL OF NATURE PROTECTED AREAS TO SUPPORT SUSTAINABLE TOURISM Radek Timoftej and Hana Brůhová Foltýnová
RECREATION IN CZECH LARGE PROTECTED AREAS: COUNTED AND SORTED Tomáš Janík
RECREATION LAND USE IN TERMS OF WATER PROTECTION Maria Hlinkova, Rastislav Fijko228

RECREATIONAL POTENTIAL OF RADOSINKA MICROREGION: LANDSCAPE – ARCHITECTI PROPOSAL OF THE CYCLO ROUTE Mária Bihuňová, Branislav Králik	
RECREATIONAL USE OF FOREST ROADS IN THE TERRITORY OF NATIONAL PARKS PROTECTED LANDSCAPE AREAS Roman Bystrický	AND
REFORM OF THE CONSTRUCTION ADMINISTRATION IN RELATION TO THE PERMIT OF BUILDINGS FOR RECREATION Alena Kliková	
REVITALISATION OF DRAINED FOREST AREA Jana Marková, Petr Pelikán	249
REVITALIZATION OF THE PARK IN THE CENTER OF IVANKA PRI DUNAJI Gabriel Kuczman, Denis Bechera	253
RISK ASSSESSMENT ON GEODIVERSITY SITES Lucie Kubalíková, Eva Nováková, František Kuda, Karel Kirchner, Aleš Bajer, Marie Ba	
RIVERS AS BACKBONES FOR URBAN AND PERIURBAN RECREATION – CASE STUDIES F KOŠICE AND PREŠOV, SLOVAKIA Juraj Illes, Katarina Kristianova	
SMALL-SCALE INVASIVE INTERVENTIONS AS IMPULSES FOR THE REACTIVA OF FORGOTTEN URBAN SPACES Miroslav Čibik, Katarína Jankechová	
STUDY OF THE RELATIONSHIP OF MOISTURE AND COMPACTION ON THE MODI OF RESILIENCE OBTAINED BY CYCLIC CBR TESTING IN LOCAL SOILS FOR A QUALITY RI TOURISM Iñigo Garcia, Lenka Ševelová	URAL
THE "KAMIEŃ" EDUCATIONAL PAVILION IN WARSAW AS A PLACE OF PRO-ENVIRONME ACTIVATION OF THE URBAN COMMUNITY Kinga Kimic , Magdalena Wolska	
THE ASSESSMENT OF ECOSYSTEM SERVICES IN TRNAVA (SLOVAKIA) AND SURROUN REGION Radovan Pondelík, Martin Zápotocký	
THE CONCEPT OF SENSE OF PLACE IN ENVIRONMENTAL EDUCATION Dominik Rubáš, Tomáš Matějček, Tomáš Bendl	286
THE EFFECT OF GRASS STRIPS ON SOIL RETENTION AND EROSION REDUCIN AGRICULTURAL LANDSCAPE Petr Karásek, Josef Kučera, Michal Pochop	
THE FIRST OFFICIAL FOREST MIND TRAIL IN THE CZECH REPUBLIC – KŘTINY ARBORETI Jitka Fialová, Martina Holcová	
THE HIPOROUTES IMPLEMENTATION OPTIONS FROM ALTERNATIVE MATERIALS Václav Mráz, Jiří Ježek , Karel Zlatuška , Vlastimil Nevrkla	302
THE IMPACT OF THE CREATION OF A RECREATIONAL AREA BY RECLAMATION A SURFACE MINE ON PROPERTY VOLUE Vítězslava Hlavinková, Martina Vařechová	

THE IMPLEMENTATION OF GIS TOOLS FOR PLANNING THE DEVELOPMENT OF RURAL TOURISM ALONG THE NETWORK OF OLD SHEEP-TRACKS Giuseppe Cillis, Dina Statuto, Pietro Picuno
THE IMPORTANCE AND FUNCTIONS OF RIPARIAN STANDS OF THE RECREATIONAL WATER RESERVOIR POČÚVADLO IN ŠTIAVNICKÉ VRCHY Mariana Jakubisová , Matúš Jakubis
THE ISSUE OF GEO-EDUCATION ON NATURE TRAILS IN THE FIRST SLOVAK GEOPARK BANSKÁ ŠTIAVNICA Silvia Palgutová, Michaela Podoláková, Lenka Varcholová, Branislav Kršák, Ľubomír Štrba 321
THE ROAD FROM THE CITY TO THE FOREST. OR HOW FAR IS THE URBAN MAN FROM A FUNCTIONAL FOREST? Vilém Pechanec, Helena Kilianová, Ivo Machar
THE ROLE OF LAND CONSOLIDATION IN RURAL SPACE DEVELOPMENT Jana Konečná, Michal Pochop, Jana Podhrázská, Petr Karásek, Eva Nováková
THE ROLE OF WETLANDS IN FLOOD PROTECTION PROCESSES IN THE LANDSCAPE – CASE STUDY Marián Dobranský, Peter Bujanský, Gao Zhenjun
THE UNFINISHED HITLER'S MOTORWAY – A HERITAGE IN THE CONTEMPORARY LANDSCAPE Ivo Dostál, Marek Havlíček, Hana Skokanová
TRADITIONAL COPPICE MANAGEMENTS AT THE LANDSCAPE LEVEL TOGETHER WITH RECREATIONAL USE Barbora Uherková, Jan Kadavý , Zdeněk Adamec, Michal Friedl, Aleš Kučera, Robert Knott, Michal Kneifl, Jakub Drimaj
TRANSFORMATION OF GARDEN SETTLEMENTS INTO A RESIDENTIAL ZONE Sofie Pokorná, Vítězslava Hlavinková
UNDERGROUND SPACES IN BOSONOŽSKÝ HÁJEK NATURE RESERVE AND THEIR GEOEDUCATION IMPORTANCE Karel Kirchner, František Kuda, Vít Baldík, Lucie Kubalíková
URBAN AGRICULTURE – ECOSYSTEM AND CULTURAL FUNCTIONS OF ORCHARD VEGETATION Jan Winkler, Petra Martínez Barroso, Doubravka Kuříková, Helena Pluháčková, Aleksandra Nowysz
VALORIZATION OF AN OLD SHEEP TRAIL AS A NEW OPPORTUNITY FOR SUSTAINABLE PUBLIC RECREATION: A CASE STUDY IN SOUTHERN ITALY Dina Statuto, Giuseppe Cillis, Pietro Picuno
WHERE NATURE MEETS ADVENTURE: TOURIST ACTIVITIES AT DOBROGEI GORGE NATURE RESERVE, ROMANIA Teodorescu Camelia, Szemkovics Laurentiu-Stefan, Dumitrascu Alina Viorica
WHERE THE SQUARE MEETS THE STREAM: RE-DESIGNING THE RURAL SQUARE IN VEĽKÝ KÝR, SLOVAKIA Attila Tóth
WHICH INFLUENCE HAS DEFORESTATION ON TOURISTIC RECREATIONAL AREAS IN SUCEAVA COUNTY? Ana-Maria Ciobotaru

WILL THE REMOVAL OF THE RECREATIONAL SYMBOL OF JESENIKY MOUNTA	IN SUMMIT
PARTS, THE DWARF PINE FORESTS, AFFECT THE ECOSYSTEM FUNCTIONS OF TH	
Petr Kupec, Petr Čech, Jan Deutscher	382
WINDBREAKS AS AN IMPORTANT ECO-STABILISING AND SOIL-PROTECTIVE	ELEMENTS
IN THE LANDSCAPE OF SOUTH MORAVIA	
Josef Kučera, Jana Podhrázská, Michal Pochop, Petr Karásek	387

UNDERGROUND SPACES IN BOSONOŽSKÝ HÁJEK NATURE RESERVE AND THEIR GEOEDUCATION IMPORTANCE

Karel Kirchner¹, František Kuda¹, Vít Baldík², Lucie Kubalíková^{1,3}

¹Department of Environmental Geography, Institute of Geonics of the Czech Academy of Sciences, Drobného 28, 602 00 Brno, Czechia

²Czech Czech Geological Survey, Branch Brno, Leitnerova 22, 658 69 Brno, Czechia
 ³ Department of Geology and Soil Science, Faculty of Forestry and Wood Technology, Mendel University in Brno, Zemědělská 3, 613 00 Brno, Czechia

https://doi.org/10.11118/978-80-7509-904-4-0356

Abstract

Bosonožský hájek Natural Reserve (Brno, South Moravia) is a very important site from the Earth Science point of view, however, its geodiversity values have been rather overlooked and omitted in the past (the object of legal protection is the occurrence of well-preserved forest ecosystems and endangered species). In the last decades, a series of field work and geophysical measurements has been carried out and the Earth Science phenomena have been identified and described here. These are represented by a dense network of gullies that developed in Pleistocene loess and that are both of natural and anthropogenic origin (some gullies probably developed along the old paths) and specific underground spaces (so called dugouts). Until now, the dugouts in South Moravia have been investigated mainly by archaeologists and those in Bosonožský hájek NR have not been described in detail yet. This brief contribution brings new information about three underground landforms and their possible relationship to the age and development of the gullies. The possibility of different interpretations of the origin of these specific landforms can be considered an opportunity in the field of Earth Science (geosciences) education and as an interesting complement of tourist and recreational activities on site.

Key words: gully network, loess, dugouts, Earth Science education

Introduction

Bosonožský hájek Natural Reserve (NR) is an area situated in the western part of Brno City (South Moravian Region, Czech Republic). From the nature conservation point of view, it is a very valuable area: the subject of the legal protection (NR declared in 1985) are forest ecosystems (ancient forests) including the thermophilic plant species. Thanks to its lithological and morphological diversity, the area is also significant from the Earth Sciences point of view. Specific features are represented by both natural and anthropogenic landforms: especially gullies (both of natural origin and related to or induced by anthropogenic activity) and underground spaces (dugouts) that have been dug in the Quaternary loess. The research on the origin and distribution of these landforms has been carried in the last years and the possible interpretations provide an interesting contribution to the knowledge of the relationships between geodiversity, biodiversity, culture and economic activities in the area.

Material and methods

Geomorphologically, Bosonožský hájek NR belongs to the Bobravská vrchovina Highlands (Figure 1). It is practically a flat ridge of 360 – 370 m.a.s.l. that inclines towards East and South-east. The ridge is built of Proterozoic granodiorites (cca 590 Ma) of the Brno Massive and the slopes are covered with Quaternary loess (up to 9 m of thickness).

In the loess and loess loams, a dense network (or system) of gullies originated being a subject of multidisciplinary research in the last decades (Münster 2005, Buček 2008, Kyclová 2010, Kirchner et al. 2011). These gullies have been researched by using numerous methods: field work, geomorphological mapping, drilling, non-destructive geophysical methods, geoarchaeological surveys, GIS methods, analysis of historical maps and LiDAR (Kirchner et al. 2018). In the south-eastern part of the study area, the system of underground spaces (dugouts) is situated. For the analysis of their distribution, the geomorphological mapping and 3D laser scanning was used (ground laser scanning using the Leica C10/BLK360 device in combination with the Leica GS08 GNSS receiver for linking to the S-JTSK/Bpv coordinate system). Based on this, a picture of the distribution and structure of the dugouts was acquired.




Fig. 1: Situation map of Bosonožský hájek NR showing particular gully networks. The dugouts are marked with a number (1, 2, 3 – accessible dugouts, 4 – mostly buried dugout, 5 – naturally or intentionally collapsed dugout)

Results and Discussion

Confirmed by previous research (Münster 2005, Kirchner et al. 2011), there are four gully systems situated in southern, central, eastern and northern segments of the study area (Figure 1). The sum of the lengths of particular gullies is 18 354 m with a density of 39.25 km.km⁻² which represents an area with the highest gully density in the South Moravian Region.

Based on existing knowledge, there is a real assumption that the foundations of the gully network in the most of the area (especially central segment) already existed before the loess sedimentation, most probably the new generation of gullies have been inserted into the old valley network (Kirchner et al. 2018). The present forest ecosystems show the typical characteristics of long-term continuous development of the ancient forests (Buček 2009), so this fact can be seen as a supporting argument for a higher age of the gullies.

On the contrary, the gully system in the eastern segment has different morphology and genesis. The longest gully has 613 m with a superelevation of 62 m and deepening max. 5 m. The gullies in this segment run parallel, they have different deepening which is related to the loess thickness and age of the gully. The genesis of these gullies is linked to and influenced by the past anthropogenic activities, especially presence of hollow ways in the Middle Ages (e.g. hollow ways near the extinct village of Kominec) creating the so called "bundles of hollow ways"). Another agent related to the gully formation (or the intensification of their formation) is represented by agricultural activity and forest management. In the loess ridges that divide particular gullies in the eastern segment, the underground spaces (dugouts) have been discovered. The first appearance in the scientific literature (photos of the entrances to the underground spaces) occur in Münster (2005). Later, Buček (2008) describes the entrances in two parallel gullies. Kynclová (2010) presents four entrances on her topographic map. Our research has been focused on the specification and clarification of the position of the known underground spaces and discovering other dugouts. Also, the elaboration of the schemes and analysis of the relationships of the dugouts to the surrounding landforms has been done. Currently, three accessible underground spaces are identified, the fourth one is mostly buried and the fifth one is naturally or intentionally collapsed (Figure 1). The area of accessible underground spaces is in the order of tens of square meters (Dugout 1: 12.3 m²; Dugout 2: 8.8 m²; Dugout 3: 17.1 m²). The height of entrance corridors reaches of around 0.6 m, main spaces are up to 1.9 m high (Figure 2). The traces of the tools on the inner walls confirms the sophisticated way of digging and shaping the spatial disposition, but every dugout is quite specific. While Dugout 1 is formed by two rounded cavities, Dugout 2 and 3 are rather square. Dugout 2 has remained unfinished according to the horizontal excavations on the back wall, which would probably serve as ventilation or a second entrance. In Dugout 3, horizontal boreholes are incorporated perpendicular to the direction of the entrance corridors, and with regard to current knowledge, they thus lead into the unknown. For now, it is not excluded that they can connect to other, yet undiscovered spaces.







Fig. 2: Dugout 1 - northeastern entrance (on the left) and its inner spaces (in the middle); Dugout 3 - inner spaces with a stove niche (right)

Generally, the dugouts in Southern Moravia have been already researched by archaeologists and anthropologists (Unger 1987, Kos 2005) who define them as cavities dug in the loess serving usually for storing the foodstuffs or as a shelter in the times of war. Based on the current knowledge, the underground spaces in our study area may be with certainty classified as "dugouts" and according to the typology provided by Kos (2005), they belong to the Type I (underground cavity with direct corridor with small niches and ventilation channels). The majority of the dugouts in South Moravia were built in the Middle Ages, but there are also dugouts dating back to the 19th and 20th centuries – these underground cavities mostly served as a shelter and from a functional point of view, they are completely similar to medieval dugouts. Most often, they were created during the Second World War in relation to threats to the inhabitants of municipalities. Similar shelters were created, for example, in loess around Kníničky village (Hluboček valley, Koňská zmola gully) at the end of World War II (Anonymous 1996). Probably, this is the case of the dugouts in Bosonožský hájek NR as well, Buček (2009) also assumes that the dugouts were created in one of the turbulent periods of the 20th century. Nevertheless, in future, specific (urban) legends about the origin of these underground cavities may occur or can be artificially created (Kirchner and Kubalíková 2015).

Conclusion

The presence of the gullies both of natural origin and anthropogenically induced (or more generally, the presence of one type of landform, but with multiple or different origin) makes the Bosonožský hájek NR unique. In a certain sense, we can consider the anthropogenically induced gullies as a part of so called secondary geodiversity (Kubalíková et al. 2017, 2019). Within the concept of the secondary geodiversity, the artificial underground spaces (dugouts) may be also included. Thus, based on the knowledge of differences of the gully networks in the central and eastern segments and thanks to the existence of specific underground spaces, the Bosonožský hájek NR can be considered an interesting site where the environmentally educative activities (including the excursions for students of high schools and universities) may be developed. In the future, the research will continue with the aim of supplementing knowledge about the age of the gullies and, in particular, gaining knowledge about new underground spaces in loess. The use of different methodological geoscientific approaches will allow to obtain relevant data that will be applied in the formulation of hypotheses about the origin and significance of underground spaces. The possibility of different interpretations of the origin of these specific landforms can be also considered an opportunity in the field of Earth Science (geosciences) education and as an interesting complement of tourist and recreational activities on site. Moreover, thanks to the presence of specific forest ecosystems (ancient forests) and past human activity, the area is a good example of the site where geodiversity, biodiversity and culture (or history) meets. This fact may be also seen as a solid foundation for integral promotion of the natural and cultural heritage of the area.

References

Anonymous (1996). Almanach obce Kníničky. Zastupitelstvo MČ Kníničky. 87 s.

Buček A (2009). Bosonožský hájek jako příklad starobylého lesa. In Dreslerová J, Svátek M (eds) Sborník příspěvků ze semináře Nízké a střední lesy v krajině. MZLU v Brně, 6–7.

Kirchner K, Adam D, Kuča M, Bajer A, Balková M (2018). Geomorfologický výzkum Bosonožského hájku v Brně – platforma pro poznání dopravních souvislostí lokality v minulosti. In Martínek J (ed) Výzkum historických cest v interdisciplinárním kontextu. Vlastivědný věstník moravský 70, Suppl 3, 125–134.

Kirchner K, Münster P, Máčka Z (2011). Stržový systém v Bosonožském hájku – jedinečný geomorfologický fenomén západně od Brna. Geologické výzkumy na Moravě a Slezsku 18(2), 33–36. Kirchner K, Kubalíková L (2015). Geomythology: an useful tool for geoconservation and geotourism purposes. In Fialová J and Pernicová D (eds) Public recreation and landscape protection – with man hand in hand! Conference proceeding, Mendel University Brno, pp 68-74.

Kos P (2005) K moravským lochům. Forum urbes medii aevi, roč. 2, Brno, 166–183.

Kubalíková L, Kirchner K, Bajer A (2017). Secondary geodiversity and its potential for urban geotourism: a case study from Brno city, Czech Republic. Quaestiones Geographicae vol. 56, issue 3: 63-73, https://doi.org/10.1515/quageo-2017-0024

Kubalíková L, Kirchner K, Kuda F, Machar I (2019). The Role of Anthropogenic Landforms in Sustainable Landscape Management. Sustainability, 11(16): 4331, https://doi.org/10.3390/su11164331

Kynclová J (2010). Topografická mapa chráněného území přírody. Diplomová práce. Ústav geodézie FS VUT, Brno, 58 p.

Münster P (2005). Stržová eroze v Bosonožském hájku. Bakalářská práce. Geografický ústav PřF MU, Brno, 51 p.

Unger J (1987). Podzemní chodby v jihomoravské středověké a novověké vesnici, Archaeologica Historica 12, s. 97–110.

Acknowledgement

This work was supported by the programme Dynamic Planet Earth of the Czech Academy of Sciences – Strategy AV21.

Souhrn

Přírodní rezervace Bosonožský hájek na západním okraji Brna představuje modelový příklad vztahů biodiverzity (zastoupené lesními porosty a teplomilnými druhy rostlin), geodiverzity (geologicky podmíněný rozsáhlý systém strží s vícefázovým vývojem) a antropogenních aktivit (výmladkový les, svazky úvozů, podzemní prostory). Minimum informací o stáří nebo účelu zdejších podzemních prostor, tzv. lochů, kterým jsme nově věnovali pozornost, pak umožňuje realizaci výzkumných záměrů (morfografickou a morfometrickou dokumentaci) stejně jako geoedukační aktivity s poukázáním na různé interpretace konkrétních procesů a jevů v krajině. Ty pak mohou být, společně s integrovaným přístupem k propagaci přírodního a kulturního dědictví, jedním ze základů geoturistických a rekreačních aktivit v zájmovém území.

Contact:

RNDr. Lucie Kubalíková, Ph.D. et Ph.D. E-mail: Lucie.Kubalikova@ugn.cas.cz

Open Access. This article is licensed under the terms of the Creative Commons Attribution 4.0 International License, CC-BY 4.0 (https://creativecommons.org/licenses/by/4.0/)

Title: Public recreation and landscape protection – with environment hand in hand?

Proceedings of the 14th Conference

Editor of the proceeding: associate Professor Ing. Jitka Fialová, MSc., Ph.D. Publisher: Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia Print: Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia

Edition: 1st Edition, 2023

No. of pages: 392 No. of copies: 75

ISBN 978-80-7509-905-1 (print)

ISBN 978-80-7509-904-4 (online; pdf)

ISSN 2336-6311 (print)

ISSN 2336-632X (online; pdf)

https://doi.org/10.11118/978-80-7509-904-4