

**Mendel University in Brno
Czech Society of Landscape Engineers – ČSSI, z.s.**

**Public recreation and landscape protection
– with environment hand in hand?**



Proceedings of the 14th Conference

Editor: Jitka Fialová

9th–11th May 2023, Křtiny

MENDEL UNIVERSITY IN BRNO

Czech Society of Landscape Engineers – ČSSI, z. s.,



and

**Department of Landscape Management
Faculty of Forestry and Wood Technology
Mendel University in Brno**



**Public recreation and landscape protection
—
with environment hand in hand?**

Proceedings of the 14th Conference

Editor: associate Professor Ing. Jitka Fialová, MSc., Ph.D.

**9–11 May 2023
Křtiny**

Under the auspices
of prof. Dr. Ing. Jan Mareš, the Rector of Mendel University in Brno,
of prof. Dr. Ing. Libor Jankovský, the Dean of the Faculty of Forestry and Wood Technology,
Mendel University in Brno,
of doc. Ing. Tomáš Vrška, Dr., the Director of Training Forest Enterprise Masaryk Forest
Křtiny, Mendel University in Brno,
of Ing. Dalibor Šafařík, Ph.D., the Chief Executive Office, Forests of the Czech Republic,



of JUDr. Markéta Vaňková, the Mayor of the City of Brno,



and of Mgr. Jan Grolich, the Governor of South Moravia,

south moravian region

in cooperation with Czech Bioclimatological Society, Nature Conservation Agency of the
Czech Republic) and Partnerství, o.p.s.,

with the financial support of FS Bohemia Ltd.



The authors are responsible for the content of the article, publication ethics and the citation
form.

All the articles were peer-reviewed.

© Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia

ISBN 978-80-7509-905-1 (print)

ISBN 978-80-7509-904-4 (online ; pdf)

ISSN 2336-6311 (print)

ISSN 2336-632X (online ; pdf)

<https://doi.org/10.11118/978-80-7509-904-4>

Open Access. This book is licensed under the terms of the Creative Commons Attribution 4.0
International License, CC-BY 4.0 (<https://creativecommons.org/licenses/by/4.0/>)



Contents

ADOLESCENTS' SMARTPHONE USAGE IN ACTIVE RECREATION AND NATURAL ENVIRONMENT <i>Stanislav Azor, Michal Marko, Štefan Adamčák</i>	9
ASSESSMENT OF EXTREME, LONG-TERM METEOROLOGICAL DROUGHT IN WESTERN PART OF SERBIA <i>Martina Zeleňáková, Milan Gocić, Hany Farhat Abd-Elhamid, Mladen Milanović, Tatiana Soláková</i>	14
AWARENESS OF SLOVAK TOURISTS ON POSSIBILITIES TO VISIT GEOSITES <i>Lubomír Štrba, Branislav Kršák, Lenka Varcholová, Michaela Podoláková, Silvia Palgutová, Csaba Sidor</i>	20
BANK STABILIZATION – NON-TRADITIONAL WAYS OF USING VEGETATION <i>Miloslav Slezinger, Dana Košťálová</i>	24
BIOCULTURAL DIVERSITY: SACRAL MONUMENTS AS HABITATS FOR BIRDS <i>Ivo Machar, Helena Kiliánová, Vilém Pechanec</i>	27
CARAVANNING AND TRAMPING VERSUS CAMPING AND NATURE CONSERVATION <i>Antonín Tůma</i>	31
CAUSES OF OVERCOMING OVERTOURISM FAILURE IN CZECHIA <i>Emil Drápela</i>	35
ECOTOURISM IN AMAZONIAN ECUADOR – BOSQUE MEDICINAL PROJECT <i>Petr Jelínek, Michal Hegar, Martin Mrkvička</i>	39
ERGONOMIC APPROACH IN TOURISM FOR VISITORS WITH SPECIAL NEEDS <i>Eva Abramuszkinová Pavlíková, Osman Nuri Özdogan, Cihan Yilmaz</i>	45
EVALUATION OF THE LANDSCAPE'S POTENTIAL FOR RECREATION <i>Daniela Smetanová</i>	50
EXPLORING THE RECREATIONAL POTENTIAL OF URBAN GAPS <i>Tímea Žolobaničová, Miroslav Čibik, Roberta Štěpánková</i>	57
EXPLORING WHITE SPACES ON URBAN MENTAL MAPS <i>Miroslav Čibik, Tímea Žolobaničová, Roberta Štěpánková</i>	63
FOREST EDUCATION AS THE BASIS FOR CONSCIOUS USE OF ALL FOREST FUNCTIONS BY SOCIETY IN THE CELESTYNŌW FOREST DISTRICT <i>Kamil Źołądek, Růža Brytan, Artur Dawidziuk</i>	67
GREEN AREAS AND NATURAL POTENTIAL OF THE POLISH CITY OF CIESZYN IN THE OPINION OF RESIDENTS <i>Edyta Rosłon-Szeryńska</i>	71
HEALTH VALUES OF FORESTS IN THE OPINION OF POLISH RESIDENTS <i>Emilia Janeczko, Małgorzata Woźnicka</i>	79
HISTORICAL EVOLUTION OF FESTIVALS IN GUIMARAS ISLAND: ITS IMPLICATION TO TOURISM INDUSTRY GROWTH <i>Norie H. Palma, Jasmin T. Gadian, Josie H. Gaitano, Revenlie G. Galapin, Petr Kupec</i>	83

HOW HIGH ARE THE ECONOMIC BENEFITS OF OUTDOOR RECREATIONAL USE FROM THE NEWLY DESIGNATED LANDSCAPE PROTECTED AREA? <i>Jan Melichar, Petr Pavelčík, David Zahradník, Marek Banaš, Radim Misaček, Jana Hamanová, Martin Slaba, Viktorie Kováčová</i>	88
HOW TO MEASURE AND USE NATURE-BASED RECREATION EFFECTS: EXAMPLE OF RESULTS FOR THE VLTAVA RIVER CASCADE <i>Kateřina Mácová, Jan Melichar, Vojtěch Havlíček, Martin Heřmanovský, Filip Strnad, Pavel Fošumpaur, Karel Březina, Martin Hanel, Martin Horský, Tomáš Kašpar, Vojtěch Sýs</i>	93
HOW TO SUPPORT CARBON SEQUESTRATION AND RECREATIONAL POTENTIAL AT THE SAME TIME <i>Jan Deutscher, Jana Smolíková</i>	97
CHANGE OF THE WAY THAT LANDSCAPE IS USED AND IT IS EFFECT ON THE RECREATIONAL AND TOURIST POTENTIAL <i>Jan Szturc, Jan Prachowski, Jana Podhrázská ,, Petr Karásek,, Josef Kučera,,</i>	101
IMPLEMENTATION OF GREEN INFRASTRUCTURE ELEMENTS TO IMPROVE RECREATION IN THE VILLAGE OF DRIENOV, SLOVAKIA <i>Martina Zeleňáková, Natália Junáková</i>	106
IMPLICATIONS OF THE NATURE OF FORESTRY AND WOOD ENTERPRISES IN LATVIA <i>Dastan Bamwesigye, Ingus Grinbergs, Amanda Puzule, Tina Ķikule</i>	111
INFLUENCE OF RECREATIONAL ACTIVITIES ON THE DISTRIBUTION OF FOREST WILD BOAR ROOTING <i>Jakub Drimaj, Marie Balková, Jakub Špoula, Jiří Kamler, Ondřej Mikulka, Radim Plhal, Miloslav Homolka</i>	116
INNOVATIVE TECHNOLOGY OF SAPLINGS PLANTING FOR INCREASE TOURISM POTENTIAL OF THE LANDSCAPE <i>Luboš Staněk, Ladislav Zvěřina, Radomír Ulrich</i>	119
INTEGRATION OF NICHE AGRICULTURAL CROPS IN THE DEVELOPMENT OF ROMANIAN RURAL TOURISM. CASE STUDY: WALNUT CULTURE IN ROMANIA AFTER 1990 <i>Constantin-Răzvan Oprea, Roxana Cuculici, Iulian Săndulache</i>	123
INTELLIGENT DESTINATION GUIDE <i>David Zejda, Martina Pásková</i>	130
LANDSCAPE – ARCHITECTURAL PROPOSAL OF JANDURA PARK IN CANBERRA, AUSTRALIA: EXPERIENCE OF BILATERAL COOPERATION BETWEEN TWO UNIVERSITIES <i>Mária Bihuňová, Miroslav Čibik, Roberta Štěpánková, Attila Tóth</i>	135
LANDSCAPE CHARACTER AND INTEGRATION OF MINING LAKES INTO THE LANDSCAPE - OPPORTUNITIES AND RISKS <i>Hedvika Psotová</i>	140
LANDSCAPE-ARCHITECTURAL SOLUTION AROUND THE RIVER VÁH IN THE CADASTRAL TERRITORY OF SEREĎ WITH AN EMPHASIS ON RECREATION <i>Denis Bechera, Gabriel Kuczman, Miroslav Rusko</i>	144
LANDSCAPE-FRIENDLY METHOD OF FOUNDING WOODEN BUILDINGS FOR RECREATIONAL USE <i>Pavla Kotásková, Jitka Fialová</i>	149
SHARED-USED RECREATIONAL TRAILS IN THE CZECH REPUBLIC <i>Hana Hermová, Tomáš Kvasnička</i>	154

METEOROLOGICAL ACTIVITIES OF J. G. MENDEL AS PART OF THE TOUR OF THE AUGUSTINIAN ABBEY <i>Jaroslav Rožnovský</i>	158
MID-FIELD WOODLOTS AS A SUBSTITUTE FOR FORESTS IN AGRICULTURAL AREAS - THE IMPACT ON ENVIRONMENT AND TOURISM <i>Beata Fortuna-Antoszkiewicz, Jan Łukaszkiwicz, Piotr Wisniewski</i>	163
MONITORING THE MOVEMENT OF VISITORS IN THE TATRA NATIONAL PARK USING BATTERY-POWERED ONLINE COUNTERS <i>Ivos Gajdorus</i>	169
MOUNTAIN RESCUE SERVICE - INEVITABLE HELP AT RECREATIONAL AND SPORT ACTIVITIES IN MOUNTAINOUS AREAS IN SLOVAKIA <i>Matúš Jakubis, Mariana Jakubisová</i>	174
NON-WOOD FOREST PRODUCTS: "CULTURE" + "TRADITION" = "EDUCATIONAL POSSIBILITIES". DOES IT MAKE SENSE? <i>Szczepan Kopeć, Paweł Staniszewski</i>	179
OLDER ADULTS AS A TARGET GROUP OF USERS OF GREEN AREAS IN PROJECTS OF THE WARSAW CIVIC BUDGET <i>Kinga Kimic, Paulina Polko</i>	184
PLANNING THROUGH A GIS THE RECOVERY OF RURAL BUILDINGS FOR THE DEVELOPMENT OF NEW FORMS OF TOURISM HOSPITALITY <i>Pietro Picuno, Salvatore Margiotta</i>	188
POSSIBILITIES AND ADVANTAGES OF INDIVIDUAL RECREATION IN THE TOPOLEČANY DISTRICT <i>Regina Mišovičová, Zuzana Pucherová, Henrich Grežo,</i>	193
POSSIBILITIES OF RECREATION IN HNILEC RIVER BASIN FROM CLIMATOLOGICAL POINT OF VIEW <i>Patrik Nagy, Katarzyna Kubiak-Wójcicka , Miroslav Garaj , Milan Gocic3</i>	198
POSSIBILITIES OF USING NEW TECHNOLOGIES IN CULTURAL TOURISM IN THE POST COVID ERA <i>Kristýna Tuzová, Milada Šťastná</i>	202
PROBLEMS OF RURAL LANDSCAPE'S PROTECTION VS ANTHROPOPRESSURE AND RECREATION MOVEMENT - THE EXAMPLE OF THE NATURE RESERVE "STAWY RASZYŃSKIE" NEAR WARSAW <i>Jan Łukaszkiwicz, Beata Fortuna-Antoszkiewicz</i>	206
PUBLIC RECREATION AND TOURISM ARE ASPECTS THAT AFFECT NOT ONLY THE ENVIRONMENT <i>David Brandejs, Pavel Klika</i>	212
QUALITATIVE ASSESSMENT OF THE PREPAREDNESS AND POTENTIAL OF NATURE PROTECTED AREAS TO SUPPORT SUSTAINABLE TOURISM <i>Radek Timoftej and Hana Brůhová Foltýnová</i>	217
RECREATION IN CZECH LARGE PROTECTED AREAS: COUNTED AND SORTED <i>Tomáš Janík</i>	224
RECREATION LAND USE IN TERMS OF WATER PROTECTION <i>Maria Hlinkova, Rastislav Fijko</i>	228

RECREATIONAL POTENTIAL OF RADOŠINKA MICROREGION: LANDSCAPE – ARCHITECTURAL PROPOSAL OF THE CYCLO ROUTE <i>Mária Bihuňová, Branislav Králik</i>	232
RECREATIONAL USE OF FOREST ROADS IN THE TERRITORY OF NATIONAL PARKS AND PROTECTED LANDSCAPE AREAS <i>Roman Bystrický</i>	237
REFORM OF THE CONSTRUCTION ADMINISTRATION IN RELATION TO THE PERMITTING OF BUILDINGS FOR RECREATION <i>Alena Kliková</i>	243
REVITALISATION OF DRAINED FOREST AREA <i>Jana Marková, Petr Pelikán</i>	249
REVITALIZATION OF THE PARK IN THE CENTER OF IVANKA PRI DUNAJI <i>Gabriel Kuczman, Denis Bechera</i>	253
RISK ASSESSMENT ON GEODIVERSITY SITES <i>Lucie Kubalíková, Eva Nováková, František Kuda, Karel Kirchner, Aleš Bajer, Marie Balková</i>	258
RIVERS AS BACKBONES FOR URBAN AND PERIURBAN RECREATION – CASE STUDIES FROM KOŠICE AND PREŠOV, SLOVAKIA <i>Juraj Illes, Katarína Kristianova</i>	263
SMALL-SCALE INVASIVE INTERVENTIONS AS IMPULSES FOR THE REACTIVATION OF FORGOTTEN URBAN SPACES <i>Miroslav Čibík, Katarína Jankechová</i>	268
STUDY OF THE RELATIONSHIP OF MOISTURE AND COMPACTION ON THE MODULUS OF RESILIENCE OBTAINED BY CYCLIC CBR TESTING IN LOCAL SOILS FOR A QUALITY RURAL TOURISM <i>Iñigo Garcia, Lenka Ševelová</i>	273
THE "KAMIEŃ" EDUCATIONAL PAVILION IN WARSAW AS A PLACE OF PRO-ENVIRONMENTAL ACTIVATION OF THE URBAN COMMUNITY <i>Kinga Kimic , Magdalena Wolska</i>	277
THE ASSESSMENT OF ECOSYSTEM SERVICES IN TRNAVA (SLOVAKIA) AND SURROUNDING REGION <i>Radovan Pondelík, Martin Zápotocký</i>	282
THE CONCEPT OF SENSE OF PLACE IN ENVIRONMENTAL EDUCATION <i>Dominik Rubáš, Tomáš Matějček, Tomáš Bendl</i>	286
THE EFFECT OF GRASS STRIPS ON SOIL RETENTION AND EROSION REDUCTION IN AGRICULTURAL LANDSCAPE <i>Petr Karásek, Josef Kučera, Michal Pochop</i>	290
THE FIRST OFFICIAL FOREST MIND TRAIL IN THE CZECH REPUBLIC – KŘTINY ARBORETUM <i>Jitka Fialová, Martina Holcová</i>	295
THE HIPOROUTES IMPLEMENTATION OPTIONS FROM ALTERNATIVE MATERIALS <i>Václav Mráz, Jiří Ježek , Karel Zlatuška , Vlastimil Nevřkla</i>	302
THE IMPACT OF THE CREATION OF A RECREATIONAL AREA BY RECLAMATION OF A SURFACE MINE ON PROPERTY VALUE <i>Vítězslava Hlavinková, Martina Vařechová</i>	306

THE IMPLEMENTATION OF GIS TOOLS FOR PLANNING THE DEVELOPMENT OF RURAL TOURISM ALONG THE NETWORK OF OLD SHEEP-TRACKS <i>Giuseppe Cillis, Dina Statuto, Pietro Picuno</i>	311
THE IMPORTANCE AND FUNCTIONS OF RIPARIAN STANDS OF THE RECREATIONAL WATER RESERVOIR POČŮVADLO IN ŠTIAVNICKÉ VRCHY <i>Mariana Jakubisová, Matúš Jakubis</i>	316
THE ISSUE OF GEO-EDUCATION ON NATURE TRAILS IN THE FIRST SLOVAK GEOPARK BANSKÁ ŠTIAVNICA <i>Silvia Palgutová, Michaela Podoláková, Lenka Varcholová, Branislav Kršák, Ľubomír Štrba</i>	321
THE ROAD FROM THE CITY TO THE FOREST. OR HOW FAR IS THE URBAN MAN FROM A FUNCTIONAL FOREST? <i>Vilém Pechanec, Helena Kilianová, Ivo Machar</i>	326
THE ROLE OF LAND CONSOLIDATION IN RURAL SPACE DEVELOPMENT <i>Jana Konečná, Michal Pochop, Jana Podhrázká, Petr Karásek, Eva Nováková</i>	331
THE ROLE OF WETLANDS IN FLOOD PROTECTION PROCESSES IN THE LANDSCAPE – CASE STUDY <i>Marián Dobranský, Peter Bujanský, Gao Zhenjun</i>	336
THE UNFINISHED HITLER'S MOTORWAY – A HERITAGE IN THE CONTEMPORARY LANDSCAPE <i>Ivo Dostál, Marek Havlíček, Hana Skokanová</i>	340
TRADITIONAL COPPICE MANAGERMENTS AT THE LANDSCAPE LEVEL TOGETHER WITH RECREATIONAL USE <i>Barbora Uherková, Jan Kadavý, Zdeněk Adamec, Michal Friedl, Aleš Kučera, Robert Knott, Michal Kneifl, Jakub Drimaj</i>	346
TRANSFORMATION OF GARDEN SETTLEMENTS INTO A RESIDENTIAL ZONE <i>Sofie Pokorná, Vítězslava Hlavinková</i>	351
UNDERGROUND SPACES IN BOSONOŽSKÝ HÁJEK NATURE RESERVE AND THEIR GEOEDUCATION IMPORTANCE <i>Karel Kirchner, František Kuda, Vít Baldík, Lucie Kubalíková</i>	356
URBAN AGRICULTURE – ECOSYSTEM AND CULTURAL FUNCTIONS OF ORCHARD VEGETATION <i>Jan Winkler, Petra Martínez Barroso, Doubravka Kuříková, Helena Pluháčková, Aleksandra Nowysz</i>	360
VALORIZATION OF AN OLD SHEEP TRAIL AS A NEW OPPORTUNITY FOR SUSTAINABLE PUBLIC RECREATION: A CASE STUDY IN SOUTHERN ITALY <i>Dina Statuto, Giuseppe Cillis, Pietro Picuno</i>	364
WHERE NATURE MEETS ADVENTURE: TOURIST ACTIVITIES AT DOBROGEI GORGE NATURE RESERVE, ROMANIA <i>Teodorescu Camelia, Szemkovics Laurentiu-Stefan, Dumitrascu Alina Viorica</i>	369
WHERE THE SQUARE MEETS THE STREAM: RE-DESIGNING THE RURAL SQUARE IN VEĽKÝ KÝR, SLOVAKIA <i>Attila Tóth</i>	373
WHICH INFLUENCE HAS DEFORESTATION ON TOURISTIC RECREATIONAL AREAS IN SUCEAVA COUNTY? <i>Ana-Maria Ciobotaru</i>	378

WILL THE REMOVAL OF THE RECREATIONAL SYMBOL OF JESENÍKY MOUNTAIN SUMMIT PARTS, THE DWARF PINE FORESTS, AFFECT THE ECOSYSTEM FUNCTIONS OF THE HILLS?
Petr Kupec, Petr Čech, Jan Deutscher 382

WINDBREAKS AS AN IMPORTANT ECO-STABILISING AND SOIL-PROTECTIVE ELEMENTS IN THE LANDSCAPE OF SOUTH MORAVIA
Josef Kučera, Jana Podhrázská, Michal Pochop, Petr Karásek 387

WILL THE REMOVAL OF THE RECREATIONAL SYMBOL OF JESENÍKY MOUNTAIN SUMMIT PARTS, THE DWARF PINE FORESTS, AFFECT THE ECOSYSTEM FUNCTIONS OF THE HILLS?

Petr Kupec, Petr Čech, Jan Deutscher

Department of Landscape Management, Faculty of Forestry and Wood Technology, Mendel University in Brno, Czechia

<https://doi.org/10.11118/978-80-7509-904-4-0382>

Abstract

The study evaluates how the removal of the dwarf pine from the forest stands of the summit parts of the Jeseníky Mountains will affect the performance of their ecosystem functions. The primary interest of the study is the assessment of the effect of the removal of the dwarf pine on the runoff conditions of the investigated locations, however, their recreational function is also considered. It is obvious that the dwarf pine has historically become one of the symbols of the local landscape in the summit parts of the Jeseníky Mountains. The results achieved by the author's team indicate that the removal of the dwarf pine will not significantly affect the functions of the forests in the monitored area compared to their current functionality. However, the social perception of this intervention will probably be very significant, both in the professional sphere (foresters) and in the sphere of the public (recreationists). It turns out that currently, the social significance of interventions implemented in socially exposed localities is as serious as its ecological and technical significance.

Key words: Dwarf pine reduction, surface runoff, Jeseníky Mountains

Introduction

The influence of tree vegetation on runoff from forested catchments has been confirmed by the results of many studies (Bosch and Hewlett 1982; Hrachowitz et al. 2013, Eisenbies et al. 2007, Bíba et al. 2010, Deutscher et al. 2016; Švihla et al. 2016, Černohous et al. 2017, Kupec et al. 2018, Kupec et al. 2019). Generally, reducing the forest cover causes an increment in the runoff, and oppositely causes the runoff reduction whereas the runoff quantity response to changes in forest cover is difficult to be predicted (Ganatsios et al. 2010).

The main objectives of the study, the results of which are presented in this article, were as follows:

- Whether there will be changes in the parameters of the runoff process, or surface runoff from part of the top parts of the Jeseníky Mountains after mining in dwarf pine stands under normal hydrological (climatic) conditions?
- If there are any changes, what their extent will be?

Material and methods

The locality of the study has been the summit parts of the Jeseníky in general, or specific top hills identified by the study contractor (Jeseníky Protected Landscape Area Authority) respectively (see figure 1). These "Intervention localities" (24 localities) were reworked to "Functional slopes" (13 FS) in accordance with the used method of the study conducting (figure 1).

Methodologically, the method of runoff coefficients (rational method) has been used to determine potential changes in the runoff conditions of localities after the implementation of the intervention. Specific coefficients were taken from the Czech Standard ČSN 75 9010 and adjusted reflecting on the outputs of field verification and specific conditions of mountain slopes inclination (see tables 1 and 2). For the final quantification of the influence of planned interventions (recalculations of the proportion of runoff from the annual precipitation values), the real precipitation data had to be used. Table 3 presents the annual precipitation data from the closest climatological stations (Dlouhé stráně and Šerák).

Results

Table 4 shows the overall results of the runoff changes on specific functional slopes. The results interpretation is given in next chapter.




Fig. 1: Location of the study sites

Tab. 1: Transfer of the categories of ČSN 75 9010 to the real vegetation types in the locality

Vegetation types in the locality	Categories of ČSN 75 9010
Trees – full canopy	Forests
Trees canopy > 60 %	Forests
Trees canopy 40-60 %	<i>Forests with canopy 40-60</i>
Trees canopy <40 %	<i>Forests with a canopy of less than 40</i>
Dwarf pine – full canopy	Forests
Dwarf pine > 60 %	Forests
Norway spruce – full canopy	Forests
Norway spruce 40-60 %	<i>Forests with canopy 40-60</i>
Norway spruce <40 %	<i>Forests with a canopy of less than 40</i>
Meadows	Green belts, fields, meadows
Rocks/Roads/Roofs	Built-up areas

Tab. 2: Adjusted runoff coefficients

Category of slope inclination (%)	Built-up areas	Green belts, fields, meadows	Forests with a canopy less than 40	Forests with a canopy 40-60	Forests
1	0.9	0.05	0.04	0.03	0
5	0.9	0.1	0.09	0.08	0.05
10	0.9	0.15	0.14	0.13	0.1
15	0.9	0.2	0.19	0.18	0.15
20	0.9	0.25	0.24	0.23	0.2
25	0.9	0.3	0.29	0.28	0.25
30	0.9	0.35	0.34	0.33	0.3
35	0.9	0.4	0.39	0.38	0.35
40	0.9	0.45	0.44	0.43	0.4

Tab. 3: Annual precipitation data from the closest climatological stations (Dlouhé stráně and Šerák) 2004 - 2021

Year	Dlouhé stráně (mm)	Šerák (mm)	Year	Dlouhé Stráně (mm)	Šerák (mm)
2004	1178.6	1018.2	2014	1025.6	1114.3
2005	1189.5	1120.9	2015	937.2	842.8
2006	1296.0	1139.9	2016	1070.6	1222.3
2007	1327.2	1270.3	2017	1140.3	1302.1
2008	1179.6	1148.8	2018	889.7	1145.8
2009	1299.3	1235.7	2019	1140.8	1230.8
2010	1600.1	1563.2	2020	1497.8	1449.8
2011	1041.7	954.7	2021	1165.0	1138.4
2012	1108.9	975.4	Average	1178.9	1168.1
2013	1132.8	1151.9	Average last 10 years	1110.9	1157.4

Tab. 4: Overall results of the runoff changes on specific functional slopes

Functional slope	Locality		Rational method						
	Area (ha)	Ø Incl. (%)	Ø Runoff coef. before interv.	Ø Runoff coef. after interv.	Runoff coef. increment $\delta\Psi$ (%)	Average runoff 18 years (mm)	Average runoff 10 years (mm)	Runoff increment 18 years (mm)	Runoff increment 10 years (mm)
0 – Keprník sever	10.02	13	0.2217	0.2346	5.5	259	272	15.05	14.91
1 – Keprník jih	32.15	14	0.2110	0.2161	2.4	246	250	6.01	5.95
2 – Panna Maria	9.77	16	0.3654	0.3834	4.7	427	444	20.96	20.76
3 – Malý děd	13.87	6	0.2127	0.2276	6.6	251	253	17.62	16.60
4 – Švýčárna	7.05	3	0.1792	0.1981	9.5	211	220	22.23	20.95
5 – Praděd	21.08	21	0.2786	0.2803	0.6	328	311	1.97	1.86
6 – Vysoká hole	8.86	4	0.2412	0.2500	3.5	284	278	10.38	9.78
7 – Petrovy kameny	15.34	49	0.3958	0.4008	1.2	467	445	5.90	5.56
8 – Kamzičník	15.03	23	0.3332	0.3381	1.4	393	376	5.73	5.40
9 – Velký máj	7,51	7	0.1874	0.1996	6.1	221	222	14.37	13.54
10 – Jelení hřbet	51,36	7	0.2744	0.2797	1.9	323	311	6.28	5.91
11 – Šerák	4,32	12	0.3516	0.3549	0.9	411	411	3.94	3.90
12 – Tabulové skály	22,68	13	0.3088	0.3195	3.3	364	355	12.57	11.84

Discussion and conclusion

The interpretation of the results given above could be as follows:

The average runoff coefficient before the intervention reaches a value of 0.274 (27.4%).

- Significantly lower value - Švýčárna and Velký Máj,

- Higher runoff coefficient (exceeding 30%) Tabulové skály, Kamzičník, Šerák, Panna Maria, and Petrovy kameny (almost 40%)

The average runoff coefficient after the intervention reaches 0.283 (28%), the increase in the value of the runoff coefficient occurs on all investigated functional slopes.

- Below average - Švýčárna and Velký Máj,
- Above average - Tabulové skály, Kamzičník, Šerák, Panna Maria and Petrovy kameny

The average potential increase in the values of the runoff coefficient at all investigated sites after the interventions was 3.67%.

- The smallest potential change - Praděd, Šerák, Petrova kameny, and Kamzičník (below 2%)
- The highest change (above 5%) - Keprník sever, Velký máj, Malý děd, and Švýčárna (9.9%)

Average runoffs for all functional slopes:

- approx. 322 mm per year from an average annual rainfall of approx. 1176 mm (for the period 2004-2021)
- approx. 319 mm per year from an average rainfall of approx. 1125 mm (for the period 2012-2021)

At these values, there will be an average increase in annual runoff from the sites:

- approx. 11.0 mm (in the case of the period 2004–2021)
- approx. 10.5 in (for the period 2012-2021)
- the lowest increase values - Praděd, Šerák, Petrovy kameny, and Kamzičník (below 6 mm)
- the highest increase values - Keprník sever, Malý děd and Švýčárna (over 15 mm)

The results of the study have shown that the changes in runoff conditions that will potentially occur on the examined functional slopes after the removal of the dwarf pine in the defined range will be very low to negligible in the context of normal hydrological conditions, considering the specifics of individual functional slopes. It can be indirectly stated that not only the hydric but also the soil protection efficiency of the functional slopes will be affected by the mentioned interventions, in the context of normal hydrological conditions, negligibly or very little.

However, the opposite situation is likely to occur in the social-recreational function of localities, where stands of dwarf pine form a long-term perceived image of the landscape character of the top parts of the Jeseníky Mountains. In this case, the main tool for education is an extensive positive campaign, with the help of which it is necessary to explain to tourists not only the fact that the dwarf pine is not native to the Jeseníky Mountains, but especially that it is harmful as competition for the native mountain meadows. In this campaign, the results of the presented study give an argument to both experts and the lay public that after the removal of the dwarf pine there will be no significant reduction in the functional efficiency of the hydric function in the top parts of the Jeseníky Mountains.

References

- Bíba, M., Vícha, Z., Janová, K., & Jarabáč, M. (2010). Forest regeneration in experimental catchment Červík and its influence on run-off process. [Obnova lesa v experimentálním povodí červík a její vliv na odtokový proces] *Zpravy Lesnického Vyzkumu*, (2), 126-132.
- Bosch, J. M., & Hewlett, J. D. (1982). A review of catchment experiments to determine the effect of vegetation changes on water yield and evapotranspiration. *Journal of Hydrology*, 55(1-4), 3-23. doi:10.1016/0022-1694(82)90117-2
- Černohous V. Švihla V. Šach F (2017) Contribution to assessment of forest stand impact on decrease of flood peakflow discharge. *Zpravy Lesnického Vyzkumu* 62:82-86.
- Deutscher J. Kupec P. Dundek P. Holík L. Machala M. Urban J (2016) Diurnal dynamics of streamflow in an upland forested micro-watershed during short precipitation-free periods is altered by tree sap flow. *Hydrol Process* 30:2042-2049. <https://doi.org/10.1002/hyp.10771>
- Eisenbies, M. H., Aust, W. M., Burger, J. A., & Adams, M. B. (2007). Forest operations, extreme flooding events, and considerations for hydrologic modeling in the appalachians-A review. *Forest Ecology and Management*, 242(2-3), 77-98. doi:10.1016/j.foreco.2007.01.051
- Ganatsios, H. P., Tsioras, P. A., & Pavlidis, T. (2010). Water yield changes as a result of silvicultural treatments in an oak ecosystem. *Forest Ecology and Management*, 260(8), 1367-1374. doi:10.1016/j.foreco.2010.07.033
- Hrachowitz, M., Savenije, H.H.G., Blöschl, G., McDonnell, J.J., Sivapalan, M., Pomeroy, J.W., Arheimer, B., Blume, T., Clark, M.P., Ehret, U., Fenicia, F., Freer, J.E., Gelfan, A., Gupta, H.V., Hughes, D.A., Hut, R.W., Montanari, A., Pande, S., Tetzlaff, D., Troch, P.A., Uhlenbrook, S., Wagener, T., Winsemius, H.C., Woods, R.A., Zehe, E. & Cudennec, C. 2013, "A decade of Predictions in Ungauged Basins (PUB)-a review", *Hydrological Sciences Journal*, vol. 58, no. 6, pp. 1198-1255.

Kupec, P., Deutscher, J., & Školoud, L. (2018). Tree species composition influences differences in water use efficiency of upland forested microwatersheds. *Eur J Forest Res* 137, 477–487. <https://doi.org/10.1007/s10342-018-1117-0>

Kupec, P., Deutscher, J., & Školoud, L. (2019). Water use efficiency of forested upland micro-watersheds as affected by the dominant tree species composition. [Vodohospodářská účinnost zalesněných pahorkatinných mikropovodí s rozdílnou hlavní dřevinou v bezesrážkových periodách] *Zpravy Lesnického Vyzkumu*, 64(2), 86-93.

Švihla, V., Šach, F., & Černohous, V. (2016). Influence of clearcuttings or impact of rapid broad disintegration of a forest on total run-off by growing seasons. [Vliv holých secí či rychlého velkoplošného rozpadu lesa na celkový odtok za vegetační období] *Zpravy Lesnického Vyzkumu*, 61(2), 138-144.

ČSN 75 9010 - Vsakovací zařízení srážkových vod, 2012

Souhrn

Článek se zabývá hodnocením změny plnění ekosystémových funkcí lesních porostů vrcholových partií Jeseníků po potenciálním odstranění borovice kleče. Primárním zájmem studie je posouzení vlivu odstranění borovice kleče na odtokové poměry zkoumaných lokalit, uvažována je však i její implicitní rekreační funkce.

Změny v odtokových poměrech, které potenciálně nastanou na šetřených funkčních svazích po odstranění kleče v rozsahu, který definoval zadavatel studie budou v kontextu normálních hydrologických podmínek velmi nízké až zanedbatelné, s přihlédnutím ke specifickým jednotlivých funkčních svahů. Lze zprostředkovaně konstatovat, že nejen hydrická, ale i půdoochranná účinnost funkčních svahů bude zmiňovanými zásahy ovlivněna v kontextu normálních hydrologických podmínek zanedbatelně či velmi málo.

Opačná situace však pravděpodobně nastane v sociálně-rekreační funkci lokalit, kde klečové porosty tvoří turisty dlouhodobě vnímaný obraz krajinného rázu vrcholových partií Jeseníků. V tomto případě je hlavním nástrojem osvěty rozsáhlá pozitivní kampaň, pomocí které je nutné turistům vysvětlit nejen fakt, že borovice kleč není v Jeseníkách původní, ale zejména to, že je škodlivá jako konkurence původních horských luk. Výsledky prezentované studie pak dávají v této kampani argument jak odborné, tak laické veřejnosti, že po odstranění trpasličí borovice nedojde ve vrcholových partiích Jeseníků k významnému snížení funkční účinnosti hydrické funkce.

Contact:

Doc. Ing. Petr Kupec, Ph.D.

E-mail: petr.kupec@mendelu.cz

Open Access. This article is licensed under the terms of the Creative Commons Attribution 4.0 International License, CC-BY 4.0 (<https://creativecommons.org/licenses/by/4.0/>)



Title: **Public recreation and landscape protection – with environment hand in hand?**

Proceedings of the 14th Conference

Editor of the proceeding: associate Professor Ing. Jitka Fialová, MSc., Ph.D.

Publisher: Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia

Print: Mendel University in Brno, Zemědělská 1, 613 00 Brno, Czechia

Edition: 1st Edition, 2023

No. of pages: 392

No. of copies: 75

ISBN 978-80-7509-905-1 (print)

ISBN 978-80-7509-904-4 (online ; pdf)

ISSN 2336-6311 (print)

ISSN 2336-632X (online ; pdf)

<https://doi.org/10.11118/978-80-7509-904-4>